

Acidemia 276.2

fetal

during labor and delivery, in liveborn infant 768.3

newborn 775.81

Acidosis 276.2

fetal, affecting newborn 775.81

metabolic NEC 276.2

with respiratory acidosis 276.4

of newborn 775.81

newborn 775.81

respiratory 276.2

complicated by

metabolic acidosis 276.4

of newborn 775.81

Alteration (of), altered

mental status 780.97

Amyloid disease or degeneration 277.30

Amyloidosis (familial) (general) (generalized) (genetic) (primary) (~~secondary~~) 277.39

neuropathic (Portuguese) (Swiss) 277.39 [357.4]

secondary 277.39

systemic, inherited 277.39

Aneurysm (anastomotic) (artery) (cirroid) (diffuse) (false) (fusiform) (multiple) (ruptured) (saccular)

(varicose) 442.9

mycotic, any site 421.0

without endocarditis – see Aneurysm, by site

Anoxemia 799.02

cerebral 348.1

newborn (see also Distress, fetal, liveborn infant) 770.88

fetal, affecting newborn 770.88

Change(s) (of) – see also Removal of

mental (status) NEC 780.97

Convulsions (idiopathic) 780.39

febrile (simple) 780.31

complex 780.32

Damage

brain 348.9

anoxic, hypoxic 348.1

ischemic, in newborn 768.7

Deafness (acquired) (~~bilateral~~) (~~both ears~~) (complete) (congenital) (hereditary) (middle ear) (partial)

(~~unilateral~~) 389.9

central, bilateral 389.14

nerve, bilateral 389.12

neural, bilateral 389.12

perceptive 389.10

central, bilateral 389.14

Key: Underline – Add      Strikeout – Delete      Underline italic - Revise

combined types, *bilateral* 389.18  
multiple types, *bilateral* 389.18  
neural, *bilateral* 389.12  
sensorineural 389.10  
    asymmetrical 389.16  
    bilateral 389.18  
    unilateral 389.15  
sensory, *bilateral* 389.11  
sensorineural (see also Deafness, perceptive) 389.10  
    asymmetrical 389.16  
    bilateral 389.18  
    unilateral 389.15  
sensory, *bilateral* 389.11  
Degeneration, degenerative  
    amyloid (any site) (general) 277.39  
    nervous system 349.89  
        amyloid 277.39 [357.4]  
    spinal (cord) 336.8  
        amyloid 277.39  
Dejerine-Roussy syndrome 338.0  
Disease, disease – see also Syndrome  
    amyloid (any site) 277.30  
Dislocation (articulation) (closed) (displacement) (simple) (subluxation) 839.8  
    vertebra (articular process) (body) (closed) (*traumatic*) 839.40  
        non-traumatic – see Displacement, intervertebral disc  
Disorder – see also Disease  
    amino acid (metabolic) (see also Disturbance, metabolism, amino acid) 270.9  
        neonatal, transitory 775.89  
    hearing – see also Deafness  
        nerve, *bilateral* 389.12  
        sensorineural type NEC (see also Deafness, *sensorineural*) 389.10  
    nerve 349.9  
        optic 377.49  
            hypoplasia 377.43  
    post-traumatic stress (PTSD) 309.81  
    seizure 345.9  
        recurrent 345.9  
Displacement, displaced  
    intervertebral disc (with neuritis, radiculitis, sciatica, or other pain) 722.2  
        due to ~~major~~ trauma – see Dislocation, vertebra  
Drug – see also condition  
    adverse effect NEC, correct substance properly administered 995.20  
    allergy 995.27  
    hypersensitivity 995.27  
Dyskinesia 781.3  
    neuroleptic-induce tardive 333.85  
    orofacial 333.82

Key: Underline – Add      Strikeout – Delete      Underline italic - Revise

**due to drugs 333.5**  
**subacute, due to drugs 333.85**  
tardive (oral) 333.85

Dystonia  
**acute**  
**due to drugs 333.72**  
**neuroleptic-induced acute 333.72**  
**due to drugs 333.7**  
~~**neuroleptic induced acute 333.7**~~  
torsion (idiopathic) 333.6  
**acquired 333.79**  
**genetic 333.6**  
symptomatic 333.79

Effect, adverse NEC  
biological, correct substance properly administered (see also Effect, adverse, drug) 995.20  
drugs and medicinals ~~NEC~~ 995.20  
correct substance properly administered 995.20  
medicinal substance, correct, properly administered (see also Effect, adverse, drugs) 995.20  
**other drug, medicinal and biological substance 995.29**

Encephalitis (bacterial) (chronic) (hemorrhagic) (idiopathic) (nonepidemic) (spurious) (subacute) 323.9  
acute – see also Encephalitis, viral  
disseminated (postinfectious) NEC 136.9 [323.61]  
postimmunization or postvaccination 323.51

due to  
actinomycosis 039.8 [323.41]  
cat-scratch disease 078.3 [323.01]  
**infection classified elsewhere 136.9 [323.41]**  
ornithosis 073.7 [323.01]  
prophylactic inoculation against smallpox 323.51  
toxoplasmosis (acquired) 130.0  
congenital (active) 771.2 [323.41]  
vaccination (smallpox) 323.51

following vaccination or other immunization procedure 323.51  
influenzal 487.8 [323.41]  
lead 984.9 [323.71]  
lupus 710.0 [323.81]  
otitic NEC 382.4 [323.41]  
parasitic NEC 123.9 [323.41]  
postexanthematous NEC 057.9 [323.62]  
postimmunization 323.51  
postinfectious NEC 136.9 [323.62]  
posttraumatic 323.81  
postvaccinal (smallpox) 323.51  
postviral NEC 079.99 [323.62]  
postexanthematous 057.9 [323.62]  
specified NEC 057.8 [323.62]

Key: Underline – Add      Strikeout – Delete      Underline italic - Revise

**Rasmussen 323.81**

saturnine 984.9 [**323.71**]

specified cause NEC **323.81**

torula, torular 117.5 [**323.41**]

toxic NEC 989.9 [**323.71**]

toxoplasmic (acquired) 130.0

congenital (active) 771.2 [**323.41**]

trichinosis 124 [**323.41**]

Encephalomyelitis (chronic) (granulomatous) (hemorrhagic necrotizing, acute) (myalgic, benign)  
(see also Encephalitis) 323.9

acute disseminated (ADEM) (postinfectious) 136.9 [**323.61**]

infectious **136.9 [323.61]**

noninfectious **323.81**

postimmunization **323.51**

due to ~~or resulting from vaccination (any)~~ **323.5**

**cat-scratch disease 078.3[323.01]**

**infectious mononucleosis 075 [323.01]**

**ornithosis 073.7 [323.01]**

**vaccination (any) 323.51**

postimmunization **323.51**

postvaccinal (smallpox) **323.51**

specified cause NEC **323.81**

Encephalopathy (acute) 348.30

due to

vaccination **323.51**

hypoxic – see **also** Damage, brain, anoxic

**ischemic (HIE) 768.7**

lead 984.9 [**323.71**]

necrotizing, ~~subacute~~ **330.8**

**hemorrhagic 323.61**

**subacute 330.8**

saturnine 984.9 [**323.71**]

toxic 348.82

metabolic **349.82**

Epilepsy, epileptic (idiopathic) 345.9

**complication pregnancy childbirth, or the puerperium 649.4**

**localization relate (focal) (partial) and epileptic syndromes**

**with**

**complex partial seizures 345.4**

**simple partial seizures 345.5**

partial (focalized) 345.5

**without impairment of consciousness 345.5**

Febrile (see also Pyrexia) 780.6

convulsion (**simple**) 780.31

**complex 780.32**

seizure (**simple**) 780.31

**atypical 780.32**

Key: Underline – Add      Strikeout – Delete      Underline italic - Revise

---

**complex 780.32**  
**complicated 780.32**  
Herpes, herpetic 054.9  
    simplex 054.9  
    **myelitis 054.74**  
**HIE (hypoxic-ischemic encephalopathy) 768.7**  
Hydrocephalus (acquired) (external) (internal) (malignant) (noncommunication) (obstructive) (recurrent) 331.4  
    otitic **348.2**  
Hypersensitive, hypersensitiveness, hypersensitivity – see also Allergy drug (see also Allergy, drug) **995.27**  
Hypersomnia, unspecified (see also insomnia) 780.52  
    with sleep apnea, unspecified **780.51**  
Hypoxia (see also Anoxia) 799.02  
    cerebral 348.1  
        newborn **770.88**  
        fetal, affecting newborn **770.88**  
        newborn **770.88**  
**Hypoxic-ischemic encephalopathy (HIE) 768.7**  
Impaired, impairment (function)  
    **cognitive, mild, so stated 331.83**  
    **mild cognitive, so stated 331.83**  
Ischemia, ischemic 459.9  
    cerebral (chronic) (generalized) 437.1  
        **newborn 779.2**  
Leukoencephalitis  
    acute hemorrhagic (postinfectious) NEC 136.9 **[323.61]**  
        postimmunization or postvaccinal **323.51**  
Leukoencephalopathy (see also Encephalitis) 323.9  
    acute necrotizing hemorrhagic (postinfectious) 136.9 **[323.61]**  
        postimmunization or postvaccinal **323.51**  
Loss  
    hearing – see also Deafness  
        central, **bilateral** 389.14  
        nerve, **bilateral** 389.12  
        neural, **bilateral** 389.12  
        sensorineural 389.10  
            **asymmetrical 389.16**  
                central, **bilateral** 389.14  
                combined types, **bilateral** 389.18  
                multiple types, **bilateral** 389.18  
                neural, **bilateral** 389.12  
                sensory, **bilateral** 389.11  
                **unilateral 389.15**  
                    sensory, **bilateral** 389.11  
Lupus 710.0  
    erythematosus (discoid) (local) 695.4

Key: Underline – Add      Strikeout – Delete      Underline italic - Revise

systemic 710.0  
with  
encephalitis 710.0 [323.81]

Meningoencephalitis (see also Encephalitis) 323.9  
due to  
blastomycosis NEC (see also Blastomycosis) 116.0 [323.41]  
toxoplasmosis (acquired) 130.0  
congenital (active) 771.2 [323.41]  
parasitic NEC 123.9 [323.41]  
toxic NEC 989.9 [323.71]  
due to  
carbon tetrachloride 987.8 [323.71]  
hydroxyquinoline derivatives poisoning 961.3 [323.71]  
lead 984.9 [323.71]  
mercury 985.0 [323.71]  
thallium 985.8 [323.71]

Meningoencephalomyelitis (see also Meningoencephalitis) 323.9  
acute NEC 048  
disseminated (postinfectious) 136.9 [323.61]  
postimmunization or postvaccination 323.51  
due to  
torula 117.5 [323.41]  
toxoplasma or toxoplasmosis (acquired) 130.0  
congenital (active) 771.2 [323.41]

Meningomyelitis (see also Meningoencephalitis) 323.9  
blastomycotic NEC (see also Blastomycosis) 116.0 [323.41]  
due to  
blastomycosis (see also Blastomycosis) 116.0 [323.41]  
sporotrichosis 117.1 [323.41]  
torula 117.5 [323.41]

Myelitis (~~acute~~) (ascending) (cerebellar) (childhood) (chronic) (descending) (diffuse)  
(disseminated)  
(pressure) (progressive) (spinal cord) (subacute) (~~transverse~~) (see also Encephalitis)  
323.9  
acute (transverse) 341.20  
idiopathic 341.22  
in conditions classified elsewhere 341.21  
due to  
infection classified elsewhere 323.42  
specified cause NEC 323.82  
vaccination (any) 323.52  
viral diseases classified elsewhere 323.02  
herpes simplex 054.74  
herpes zoster 053.14  
postchickenpox 052.2  
postimmunization 323.52  
postinfectious 323.63

Key: Underline – Add      Strikeout – Delete      Underline italic - Revise

postvaccinal 323.52  
**postvaricella 052.2**  
**toxic 323.72**  
**transverse 323.82**  
**acute 341.20**  
**idiopathic 341.22**  
**in conditions classified elsewhere 341.21**

Myelopathy (spinal cord) 336.9  
due to or with  
carbon tetrachloride 987.8 [323.72]  
hydroxyquinoline derivatives 961.3 [323.72]  
lead 984.9 [323.72]  
mercury 985.0 [323.72]  
thallium 985.8 [323.72]  
toxic NEC 989.9 [323.72]  
transverse (see also *Myelitis*) 323.82  
Myopathy 359.9  
amyloid 277.39 [359.6]  
in  
amyloidosis 277.39 [359.6]  
Neuritis (see also Neuralgia) 729.2  
amyloid, any site 277.39 [357.4]  
Neuropathy, neuropathic (see also Disorder, nerve) 355.9  
peripheral (nerve) (see also Polyneuropathy) 356.9  
autonomic 337.9  
amyloid 277.39 [337.1]  
in  
amyloidosis 277.39 [337.1]

**Pain(s) 780.96**

**acute 338.19**  
**due to trauma 338.11**  
**postoperative 338.18**  
**post-thoracotomy 338.12**  
**syndrome 338.4**

due to (presence of ) any device, implant, or graft classifiable to 996.0-996.5 – see  
Complications, due to (presence of) any device, implant, or graft classified to 996.0-996.5  
NEC

**malignancy (primary) (secondary) 338.3**  
generalized 780.96  
**musculoskeletal (see also Pain, by site) 729.1**  
**neoplasm, related (acute) (chronic) 338.3**  
postoperative – see **Pain, by site** 338.18  
**acute 338.18**  
**chronic 338.28**  
**post-thoracotomy 338.12**  
**acute 338.12**  
**chronic 338.22**  
**tumor associated 338.3**

Key: Underline – Add      Strikeout – Delete      Underline italic - Revise

---

Palsy (see also Paralysis) 344.9  
cerebral (congenital) (infantile) (spastic) 343.9  
athetoid 333.71

Panmyelopathy, familial constitutional 284.09

Paralysis, paralytic (complete) (incomplete) 344.9  
athetoid 333.71  
respiratory (muscle) (system) (tract) 786.09  
center NEC 344.89  
fetus or newborn 770.87

Polyneuropathy (peripheral) 356.9  
amyloid 277.39 [357.4]  
in  
amyloidosis 277.39 [357.4]

Pregnancy (single) (uterine) (without sickness) V22.2  
complicated (by) 646.9  
epilepsy 649.4

Reaction  
drug NEC (see also Table of Drugs and Chemicals) 995.20  
allergic – see **also** Allergy, drug 995.27  
correct substance properly administered 995.20  
**dystonic, acute, due to drugs 333.72**

Restless legs (syndrome) 333.94

Screening (for) V82.9  
**genetic V82.79**  
**disease carrier status V82.71**

Seizure 780.39  
febrile (*simple*) 780.31  
**atypical 780.32**  
**complex 780.32**  
**complicated 780.32**  
recurrent 345.9

Sepsis (generalized) 995.91  
with  
**acute organ dysfunction 995.92**  
**multiple organ dysfunction (MOD) 995.92**

SIRS (systemic inflammatory response syndrome) 995.90  
due to  
infectious process 995.91  
with *acute* organ dysfunction 995.92  
non-infectious process 995.93  
with *acute* organ dysfunction 995.94

Syndrome – see also Disease  
**central pain 338.0**  
**chronic pain 338.4**  
Dejerine-Roussy 338.0  
**double athetosis 333.71**  
Ekborn's (restless legs) 333.94

Key: Underline – Add      Strikeout – Delete      Underline italic - Revise



---

pain – see *also* Pain  
central 338.0  
chronic 338.4  
myelopathic 338.0  
thalamic (hyperesthetic) 338.0  
restless legs (RLS) 333.94  
systemic  
    inflammatory response (SIRS) 995.90  
    due to  
        infectious process 995.91  
            with *acute* organ dysfunction 995.92  
        non-infectious process 995.93  
            with *acute* organ dysfunction 995.94  
Vestibulitis (ear) (see also, Labyrinthitis) 386.30  
    nose (external) 478.19

---

Key: Underline – Add      Strikeout – Delete      Underline italic - Revise



---

Tabular Addenda

052	Chickenpox	
	052.2 Postvaricella myelitis	<b>New Code</b>
053	Herpes zoster	
	053.1 With other nervous system complications	
	053.14 Herpes zoster myelitis	<b>New Code</b>
054	Herpes simplex	
	054.7 With other specified complications	
	054.74 Herpes simplex myelitis	<b>New Code</b>
307	Special symptoms or syndromes, not elsewhere classified	
	307.8 Pain disorders related to psychological factors	
	307.89 Other	
	Code first to <u>type or site of pain</u>	<b>Revise</b>
323	Encephalitis, myelitis, and encephalomyelitis	
	Includes: myelitis ( <del>acute</del> )	<b>Revise</b>
	Excludes: acute transverse myelitis NOS (341.20)	<b>Add</b>
	acute transverse myelitis in conditions classified elsewhere (341.21)	
	idiopathic transverse myelitis (341.22)	
323.0	Encephalitis, <u>myelitis, and encephalomyelitis</u> in viral diseases	
	classified elsewhere	<b>Revise</b>
	Excludes: encephalitis (in):	<b>Delete</b>
	arthropod borne viral (062.0-064)	
	herpes simplex (054.3)	
	mumps (072.2)	
	other viral diseases of central nervous system (049.8-049.9)	
	poliomyelitis (045.0-045.9)	
	rubella (056.01)	
	slow virus infections of central nervous system (046.0-046.9)	
	viral NOS (049.9)	
323.01	Encephalitis and encephalomyelitis in viral diseases	
	classified elsewhere	<b>New Code</b>
	Excludes: encephalitis (in):	
	arthropod-borne viral (062.0-064)	
	herpes simplex (054.3)	
	mumps (072.2)	
	other viral diseases of central nervous system (049.8-049.9)	
	poliomyelitis (045.0-045.9)	
	rubella (056.01)	
	slow virus infections of central nervous system (046.0-046.9)	
	viral NOS (049.9)	
	West Nile (066.41)	
323.02	Myelitis in viral diseases classified elsewhere	
	Excludes: myelitis (in):	<b>New Code</b>
	herpes simplex (054.74)	
	herpes zoster (053.14)	
	poliomyelitis (045.0-045.9)	
	rubella (056.01)	
	other viral diseases of central nervous system (049.8-049.9)	



323.1	Encephalitis, <u>myelitis</u> , and <u>encephalomyelitis</u> in rickettsial diseases classified elsewhere	<b>Revise</b>
323.2	Encephalitis, <u>myelitis</u> , and <u>encephalomyelitis</u> in protozoal diseases classified elsewhere	<b>Revise</b>
323.4	Other encephalitis, <u>myelitis</u> , and <u>encephalomyelitis</u> due to infection classified elsewhere	<b>Revise</b>
	<del>Excludes: encephalitis (in):</del>	<b>Delete</b>
	<del>meningococcal (036.1)</del>	
	<del>syphilis:</del>	
	<del>NOS (094.81)</del>	
	<del>congenital (090.41)</del>	
	<del>toxoplasmosis (130.0)</del>	
	<del>tuberculosis (013.6)</del>	
	<del>meningoencephalitis due to free living ameba [Naegleria] (136.2)</del>	
323.41	Other encephalitis and encephalomyelitis due to infection classified	<b>New Code</b>
	Excludes: encephalitis (in):	
	meningococcal (036.1)	
	syphilis:	
	NOS (094.81)	
	congenital (090.41)	
	toxoplasmosis (130.0)	
	tuberculosis (013.6)	
	meningoencephalitis due to free-living ameba [Naegleria] (136.2)	
323.42	Other myelitis due to infection classified elsewhere	<b>New Code</b>
	Excludes: myelitis (in):	
	syphilis (094.89)	
	tuberculosis (013.6)	
323.5	Encephalitis, <u>myelitis</u> , and <u>encephalomyelitis</u> following immunization procedures	<b>Revise</b>
	<del>Encephalitis postimmunization or postvaccinal</del>	<b>Delete</b>
	<del>Encephalomyelitis postimmunization or postvaccinal</del>	
323.51	Encephalitis and encephalomyelitis following immunization procedures	<b>New Code</b>
	Encephalitis postimmunization or postvaccinal	
	Encephalomyelitis postimmunization or postvaccinal	
323.52	Myelitis following immunization procedures	<b>New Code</b>
	Myelitis postimmunization or postvaccinal	
323.6	Postinfectious encephalitis, <u>myelitis</u> , and <u>encephalomyelitis</u>	<b>Revise</b>
	<del>Infectious acute disseminated encephalomyelitis (ADEM)</del>	<b>Delete</b>
	<del>Excludes: encephalitis:</del>	<b>Delete</b>
	<del>postchickenpox (052.0)</del>	
	<del>postmeasles (055.0)</del>	
323.61	Infectious acute disseminated encephalomyelitis (ADEM)	<b>New Code</b>
	Acute necrotizing hemorrhagic encephalopathy	
	Excludes: noninfectious acute disseminated encephalomyelitis (ADEM) (323.81)	



323.62	Other postinfectious encephalitis and encephalomyelitis	<b>New Code</b>
	Excludes: encephalitis: postchickenpox (052.0) postmeasles (055.0)	
323.63	Postinfectious myelitis	<b>New Code</b>
	Excludes: postchickenpox myelitis (052.2) herpes simplex myelitis (054.74) herpes zoster myelitis (053.14)	
323.7	Toxic encephalitis, <u>myelitis, and encephalomyelitis</u>	<b>Revise</b>
323.71	Toxic encephalitis and encephalomyelitis	<b>New Code</b>
323.72	Toxic myelitis	<b>New Code</b>
323.8	Other causes of encephalitis, <u>myelitis, and encephalomyelitis</u>	<b>Revise</b>
	<del>Noninfectious acute disseminated encephalomyelitis (ADEM)</del>	<b>Delete</b>
323.81	Other causes of encephalitis and encephalomyelitis	<b>New Code</b>
	Noninfectious acute disseminated encephalomyelitis (ADEM)	
323.82	Other causes of myelitis	<b>New Code</b>
	Transverse myelitis NOS	
323.9	Unspecified cause of encephalitis, <u>myelitis, and encephalomyelitis</u>	<b>Revise</b>
326	Late effects of intracranial abscess or pyogenic infection	
	Note: This category is to be used to indicate conditions whose primary classification is to 320-325 [excluding 320.7, 321.0-321.8, <u>323.01-323.42</u> , 323.61-323.72] as the cause of late effects, themselves is classifiable elsewhere	<b>Revise</b>
	<b>ORGANIC SLEEP DISORDERS (327)</b>	<b>Add</b>
327	Organic sleep disorders	
327.5	Organic sleep related movement disorders	
	Excludes: restless <u>legs</u> syndrome (333.94)	<b>Revise</b>
331	Other cerebral degenerations	
331.8	Other cerebral degeneration	
331.83	Mild cognitive impairment, so stated	<b>New Code</b>
	Excludes: altered mental status (780.97) cerebral degeneration (331.0-331.9) change in mental status (780.97) cognitive deficits following (late effects of) cerebral hemorrhage or infarction (438.0) cognitive impairment due to late effect of intracranial injury (907.0) dementia (290.0-290.43, 294.8) mild memory disturbance (310.8) neurologic neglect syndrome (781.8) personality change, nonpsychotic (310.1)	
333	Other extrapyramidal disease and abnormal movement disorders	
333.6	<del>Idiopathic</del> <u>Genetic</u> torsion dystonia	<b>Revise</b>
333.7	<del>Symptomatic</del> <u>Acquired</u> torsion dystonia	<b>Revise</b>
	<del>Athetoid cerebral palsy [Vogt's disease]</del>	<b>Delete</b>
	<del>Double athetosis (syndrome)</del>	<b>Delete</b>
	<del>Neuroleptic induced acute dystonia</del>	<b>Delete</b>
	Use additional E code to identify drug, if drug induced	<b>Delete</b>
333.71	Athetoid cerebral palsy	<b>New Code</b>



	Double atetosis (syndrome) Vogt's disease	
	Excludes: infantile cerebral palsy (343.0-343.9)	
	333.72 Acute dystonia due to drugs	<b>New Code</b>
	Acute dystonic reaction due to drugs	
	Neuroleptic induced acute dystonia	
	Use additional E code to identify drug	
	Excludes: blepharospasm due to drugs (333.85)	
	orofacial dyskinesia due to drugs (333.85)	
	secondary Parkinsonism (332.1)	
	subacute dyskinesia due to drugs (333.85)	
	tardive dyskinesia (333.85)	
	333.79 Other acquired torsion dystonia	<b>New Code</b>
333.8	Fragments of torsion dystonia	
	333.81 Blepharospasm	
	Excludes: blepharospasm due to drugs (333.85)	<b>Add</b>
	333.82 Orofacial dyskinesia	
	<del>Neuroleptic induced tardive dyskinesia</del>	<b>Delete</b>
	Excludes: orofacial dyskinesia due to drugs (333.85)	<b>Add</b>
	333.85 Subacute dyskinesia due to drugs	<b>New Code</b>
	Blepharospasm due to drugs	
	Orofacial dyskinesia due to drugs	
	Tardive dyskinesia	
	Use additional E code to identify drug	
	Excludes: acute dystonia due to drugs (333.72)	
	acute dystonic reaction due to drugs (333.72)	
	secondary Parkinsonism (332.1)	
333.9	Other and unspecified extrapyramidal diseases and abnormal movement disorders	
	333.92 Neuroleptic malignant syndrome	
	Excludes: neuroleptic induce Parkinsonism (332.1)	<b>Add</b>
	333.94 Restless legs syndrome (RLS)	<b>New Code</b>
	333.99 Other	
	<del>Restless legs</del>	<b>Delete</b>
336	Other disease of spinal cord	
	336.9 Unspecified disease of spinal cord	
	Excludes: myelitis ( <u>3223.02, 323.1, 323.2, 323.42, 323.52, 323.63, 323.72, 323.82, 323.9</u> )	<b>Revise</b>
337	Disorders of the autonomic nervous system	
	337.1 Peripheral autonomic neuropathy in disorders classified elsewhere	
	Code first underlying disease, as:	
	amyloidosis ( <u>277.30-277.39</u> )	<b>Revise</b>
		<b>Add</b>
PAIN (338)		
338	Pain, not elsewhere classified	<b>New Category</b>
	Use additional code to identify:	
	pain associated with psychological factors (307.89)	
	Excludes: generalized pain (780.96)	
	localized pain, unspecified type – code to pain by site	
	pain disorder exclusively attributed to psychological factors (307.80)	





338.0	Central pain syndrome Dejerine-Roussy syndrome Myelopathic pain syndrome Thalamic pain syndrome (hyperesthetic)	<b>New Code</b>
338.1	Acute pain	<b>New Sub-Category</b>
338.11	Acute pain due to trauma	<b>New Code</b>
338.12	Acute post-thoracotomy pain Post-thoracotomy pain NOS	<b>New Code</b>
338.18	Other acute postoperative pain Postoperative pain NOS	<b>New Code</b>
338.19	Other acute pain	<b>New Code</b>
	Excludes: neoplasm related acute pain (338.3)	
338.2	Chronic pain	<b>New Sub-Category</b>
	Excludes: causalgia (355.9) lower limb (355.71) upper limb (354.4) chronic pain syndrome (338.4) myofascial pain syndrome (729.1) neoplasm related chronic pain (338.3) reflex sympathetic dystrophy (337.20-337.29)	
338.21	Chronic pain due to trauma	<b>New Code</b>
338.22	Chronic post-thoracotomy pain	<b>New Code</b>
338.28	Other chronic postoperative pain	<b>New Code</b>
338.29	Other chronic pain	<b>New Code</b>
338.3	Neoplasm related pain (acute) (chronic) Cancer associated pain Pain due to malignancy (primary) (secondary) Tumor associated pain	<b>New Code</b>
338.4	Chronic pain syndrome Chronic pain associated with significant psychosocial dysfunction	<b>New Code</b>
341	Other demyelinating diseases of central nervous system	
341.2	Acute (transverse) myelitis	<b>New Sub-Category</b>
	Excludes: acute (transverse) myelitis (in) (due to): following immunization procedures (323.52) infection classified elsewhere (323.42) postinfectious (323.63) protozoal diseases classified elsewhere (323.2) ricketsial diseases classified elsewhere (323.1) toxic (323.72) viral diseases classified elsewhere (323.02) transverse myelitis NOS (323.82)	
341.20	Acute (transverse) myelitis NOS	<b>New Code</b>
341.21	Acute (transverse) myelitis in conditions classified elsewhere Code first underlying condition	<b>New Code</b>
341.22	Idiopathic transverse myelitis	<b>New Code</b>
343	Infantile cerebral palsy	
	Excludes: athetoid cerebral palsy (333.71)	<b>Add</b>
	hereditary cerebral paralysis, such as: Vogt's disease (333.71)	<b>Revise</b>



345	Epilepsy <u>and recurrent seizures</u>	<b>Revise</b>
	345.1 Generalized convulsive epilepsy	
	Excludes: convulsions:	
	NOS <u>(780.39)</u>	<b>Revise</b>
	Infantile <u>(780.39)</u>	<b>Revise</b>
	345.4 <del>Partial epilepsy, with impairment of consciousness</del> <u>Localization-related (focal) (partial) epilepsy and epileptic syndromes with complex partial seizures</u>	<b>Revise</b> <b>Revise</b>
	Epilepsy:	
	partial:	
	<u>with impairment of consciousness</u>	
	345.5 <del>Partial epilepsy, without mention of impairment of consciousness</del> <u>Localization-related (focal) (partial) epilepsy and epileptic syndromes with simple partial seizures</u>	<b>Revise</b>
	Epilepsy:	
	partial NOS:	
	<u>without impairment of consciousness</u>	<b>Revise</b>
	345.8 Other forms of epilepsy <u>and recurrent seizures</u>	<b>Revise</b>
	345.9 Epilepsy, unspecified	
	<u>Recurrent seizures NOS</u>	<b>Revise</b>
	<u>Seizure disorder NOS</u>	<b>Revise</b>
	Excludes: convulsion (convulsive) disorder <u>(780.39)</u>	<b>Add</b>
	convulsive seizures or fit NOS <u>(780.39)</u>	<b>Revise</b>
	recurrent convulsions <u>(780.39)</u>	<b>Add</b>
348	Other conditions of brain	
	348.3 Encephalopathy, not elsewhere classified	
	348.31 Metabolic encephalopathy	
	Excludes: toxic metabolic encephalopathy	<b>Add</b>
349	Other and unspecified disorders of the nervous system	
	349.8 Other specified disorders of nervous system	
	349.82 Toxic encephalopathy	
	Toxic metabolic encephalopathy	<b>Add</b>
357	Inflammatory and toxic neuropathy	
	357.4 Polyneuropathy in other diseases classified elsewhere	
	Code first underlying disease, as:	
	amyloidosis <u>(277.30-277.39)</u>	<b>Revise</b>
	chronic uremia (585.9)	<b>Add</b>
	uremia <u>NOS (586)</u>	<b>Revise</b>
359	Muscular dystrophies and other myopathies	
	359.6 Symptomatic inflammatory myopathy in diseases classified elsewhere	
	Code first underlying disease, as:	
	amyloidosis <u>(277.30-277.39)</u>	<b>Revise</b>
377	Disorders of optic nerve and visual pathways	
	377.4 Other disorders of optic nerve	
	377.43 Optic nerve hypoplasia	<b>New Code</b>
389	Hearing loss	
	389.1 Sensorineural hearing loss	
	389.11 Sensory hearing loss, <u>bilateral</u>	<b>Revise</b>
	389.12 Neural hearing loss, <u>bilateral</u>	<b>Revise</b>

	389.14 Central hearing loss, <u>bilateral</u>	<b>Revise</b>
	389.15 Sensorineural hearing loss, unilateral	<b>Add</b>
	389.16 Sensorineural hearing loss, asymmetrical	<b>Add</b>
	389.18 Sensorineural hearing loss of combined types, <u>bilateral</u>	<b>Revise</b>
649	Other conditions or status of the mother complicating pregnancy, childbirth, or the puerperium	
	649.4 Epilepsy complicating pregnancy, childbirth, or the puerperium	<b>New Sub-Category</b>
	Use additional code to identify the specific type of epilepsy (345.00-345.91)	
	Excludes: eclampsia (642.6)	
768	Intrauterine hypoxia and birth asphyxia	
	Excludes: academia NOS of newborn (775.81)	<b>Add</b>
	acidosis NOS of newborn (775.81)	
	cerebral ischemia NOS (779.2)	
	hypoxia NOS of newborn (770.88)	
	mixed metabolic and respiratory acidosis of newborn (775.81)	
	respiratory arrest of newborn (770.87)	
	768.3 Fetal distress first noted during labor <u>and delivery</u> , in liveborn infant	<b>Revise</b>
	Fetal metabolic academia first noted during labor <u>and delivery</u> , in liveborn infant	<b>Revise</b>
	768.5 Severe birth asphyxia	
	Excludes: hypoxic-ischemic encephalopathy (HIE) (768.7)	<b>Add</b>
	768.6 Mild or moderate birth asphyxia	
	Excludes: hypoxic-ischemic encephalopathy (HIE) (768.7)	<b>Add</b>
	768.7 Hypoxic-ischemic encephalopathy (HIE)	<b>New Code</b>
	768.9 Unspecified birth asphyxia in liveborn infant	
	<del>Hypoxia NOS, in liveborn infant</del>	<b>Delete</b>
775	Endocrine and metabolic disturbances specific to the fetus and newborn	
	775.8 Other <del>transitory</del> neonatal endocrine and metabolic disturbances	<b>Revise</b>
	<del>Amino acid metabolic disorders described as transitory</del>	<b>Delete</b>
	775.81 Other acidosis of newborn	<b>New Code</b>
	Acidemia NOS of newborn	
	Acidosis of newborn NOS	
	Mixed metabolic and respiratory acidosis of newborn	
	775.89 Other neonatal endocrine and metabolic disturbances	<b>New Code</b>
	Amnio-acid metabolic disorders described as transitory	
779	Other and ill-defined conditions originating in the perinatal period	
	779.2 Cerebral depression, coma, and other abnormal cerebral signs	
	Cerebral ischemia NOS of newborn	<b>Add</b>
	Excludes: cerebral ischemia due to birth trauma (767.0)	<b>Add</b>
	intrauterine cerebral ischemia (768.2-768.9)	
	intraventricular hemorrhage (772.10-772.14)	
780	General symptoms	
	780.3 Convulsions	
	780.31 Febrile convulsions ( <u>simple</u> ), <u>unspecified</u>	<b>Revise</b>
	Febrile seizure <u>NOS</u>	<b>Revise</b>
	780.32 Complex febrile convulsions	<b>New Code</b>
	Febrile seizure:	
	atypical	
	complex	





995.92	<del>Severe sepsis Systemic inflammatory response syndrome due to infectious process with organ dysfunction</del>	<b>Revise</b>
	Severe sepsis	<b>Delete</b>
	Sepsis with acute organ dysfunction	<b>Add</b>
	Sepsis with multiple organ dysfunction (MOD)	<b>Add</b>
	Systemic inflammatory response syndrome due to infectious process with acute organ dysfunction	<b>Add</b>
	Code first underlying infection	<b>Add</b>
	Use additional code to specify <u>acute</u> organ dysfunction, such as: disseminated intravascular coagulopathy (DIC) syndrome (286.6)	<b>Revise</b> <b>Add</b>
995.93	Systemic inflammatory response syndrome due to noninfectious process without <u>acute</u> organ dysfunction	<b>Revise</b>
	Code first underlying conditions, such as: acute pancreatitis (577.0) trauma	<b>Add</b>
	Excludes: systemic inflammatory response syndrome due to non-infectious Process with acute organ dysfunction (995.94)	<b>Add</b>
995.94	Systemic inflammatory response syndrome due to noninfectious process with <u>acute</u> organ dysfunction	<b>Revise</b>
	Code first underlying condition, such as: acute pancreatitis (577.0) trauma	
	Use additional code to specify <u>acute</u> organ dysfunction, such as: disseminated intravascular coagulopathy (DIC) syndrome (286.6) <del>septic shock</del>	<b>Revise</b> <b>Add</b> <b>Delete</b>
	Excludes: severe sepsis (995.92)	<b>Add</b>
999	Complications of medical care, not elsewhere classified	
	Excludes: postvaccinal encephalitis (323.51)	<b>Revise</b>
V82	Special screening for other conditions	
	V82.7 Genetic screening	<b>New Sub-Category</b>
	Excludes: genetic testing for procreative management (V26.31-V26.32)	<b>Add</b>
	V82.71 Screening for genetic disease carrier status	<b>New Code</b>
	V82.79 Other genetic screening	<b>New code</b>
GENETICS (V83-V84)		<b>Add</b>

