

**Medicare 2007 Physician Quality Reporting Initiative (PQRI): Stroke & Stroke Rehabilitation Measures @ Admission Workflow Support**

Are you treating any of the following conditions at admission? Circle all that apply and be sure to document reasons for exclusions.

*Workflow Document 20-Jun-07*

Date of Service: \_\_\_\_\_

Phys NPI: \_\_\_\_\_

Patient ID: \_\_\_\_\_  ≥ 18 yrs

Did the patient receive Deep Vein Thrombosis (DVT) prophylaxis* by the end of hospital day two?		Was the patient considered for t-PA administration* from onset to arrival ≤ 3 hrs?		Was patient screened for dysphagia* before taking any foods, fluids or medication by mouth?		
Ischemic Stroke ICD-9 diagnosis codes: 433.01, 433.11, 433.21, 433.31, 433.81, 433.91, 434.01, 434.11, 434.91  Intracranial hemorrhage ICD-9 diagnosis code: 431  <b>AND</b> CPT E/M service codes: 99221 initial hosp care, straightforward, 30 min at bedside 99222 initial hosp care, moderately complex, 50 min at bedside 99223 initial hosp care, highly complex, 70 min at bedside 99251-99255 initial inpatient consult 99291 critical care  *Definition: For purposes of this measures, DVT prophylaxis can include low molecular weight heparin (LMWH), low-dose unfractionated heparin (LDUH), intravenous heparin, low-dose subcutaneous heparin, or intermittent pneumatic compression devices.		Ischemic Stroke ICD-9 diagnosis codes: 433.01, 433.11, 433.21, 433.31, 433.81, 433.91, 434.01, 434.11, 434.91  <b>AND</b> CPT E/M service codes: 99221 initial hosp care, straightforward, 30 min at bedside 99222 initial hosp care, moderately complex, 50 min at bedside 99223 initial hosp care, highly complex, 70 min at bedside 99251-99255 initial inpatient consult 99291 critical care  *Definitions: For purposes of this measure, patients "considered for t-PA administration" includes patients to whom t-PA was given or patients for whom reasons for not being a candidate for t-PA therapy are documented.		Ischemic Stroke ICD-9 diagnosis codes: 433.01, 433.11, 433.21, 433.31, 433.81, 433.91, 434.01, 434.11, 434.91  Intracranial hemorrhage ICD-9 diagnosis code: 431  <b>AND</b> CPT E/M service codes: 99221 initial hosp care, straightforward, 30 min at bedside 99222 initial hosp care, moderately complex, 50 min at bedside 99223 initial hosp care, highly complex, 70 min at bedside 99251-99255 initial inpatient consult  *Definition: Dysphagia screening: use of tested and validated dysphagia screening tool (e.g. Burke dysphagia screening test, 3 oz. water swallow test, Mann assessment of swallowing ability [MASA], standardized bedside swallowing assessment [SSA]) OR a dysphagia screening tool approved by the hospital's speech/language pathology (SLP) services.		
DVT prophylaxis received?		Considered for t-PA administration?		Screening for dysphagia?		
Yes	No due to exception	Yes	No due to exception	Yes	No due to exception	
4070F	4070F + "P" modifier below	4077F + [1065F w/n 3 hrs OR 1066F > 3 hrs]	4077F8P + 1065F w/n 3 hrs	6010F + 6015F (pt receiveg or elig to receive food, fluids or meds by mouth)	6010F1P + [6015F (elig) OR 6020F (NPO)]	6010F8P + 6015F (elig)
*Careful review of definitions are recommended. The selected "P" modifiers listed below require documentation of specific reason for not prescribing in medical record						
1P: medical reason documented		2P: patient reason documented		8P: reasons not otherwise specified		