



bilateral 389.22
unilateral 389.21
bilateral 389.12
unilateral 389.13
neural, ~~bilateral 389.12~~
with conductive hearing loss 389.20
bilateral 389.22
unilateral 389.21
bilateral 389.12
unilateral 389.13
perceptive 389.10
with conductive hearing loss 389.20
bilateral 389.22
unilateral 389.21
central, ~~bilateral 389.14~~
neural, ~~bilateral 389.12~~
bilateral 389.12
unilateral 389.13
sensory, ~~bilateral 389.11~~
with conductive hearing loss 389.20
bilateral 389.22
unilateral 389.21
bilateral 389.11
unilateral 389.17

Deficit
neurologic NEC 781.99
ischemic
reversible (RIND) 434.91
history of (personal) V12.54
prolonged (PRIND) 434.91
history of (personal) V12.54

Delay, delayed
development
speech 315.39
and language due to hearing loss 315.34

Development
delayed (see also Delay, development) 783.40
language (skills) 315.31
and speech due to hearing loss 315.34
speech 315.39
and language due to hearing loss 315.34

Diabetes, diabetic (brittle)(congenital)(familial)(mellitus)(poorly controlled)(severe) (slight)
(without complication) 250.0
amyotrophy 250.6 [353.1]

Difficulty

Key: Underline – Add

Strikeout – Delete

Underline Italic – Revise



swallowing (see also Dysphagia) 787.20
Disease, diseased – see also Syndrome
 Batten-Steinert 359.21
 Becker's (~~idiopathic mural endomyocardial disease~~) 425.2
 myotonia congenital, recessive form 359.22
 Curschmann's 359.21
 Eulenburg's (congenital paramyotonia) 359.29
 Schwartz-Jampel 359.23
 Steinert's 359.21
 Thomsen's 359.22
 von Eulenburg's (congenital paramyotonia) 359.29
Disorder – see also Disease
auditory processing disorder 388.45
 acquired 388.45
 developmental 315.32
 central auditory processing 315.32
 acquired 388.45
 developmental 315.32
 developmental, specific 315.9
 language 315.31
 and speech due to hearing loss 315.34
 speech 315.39
 and language due to hearing loss 315.34
hearing – see also Deafness
 mixed conductive and sensorineural 389.20
 bilateral 389.22
 unilateral 389.21
 nerve, ~~bilateral 389.12~~
 bilateral 389.12
 unilateral 389.13
involuntary emotional expression (IEED) 310.8
 myotonic 359.29
Drug – see also condition
 therapy (maintenance) status NEC
 long-term (current) use V58.69
 high-risk medications NEC V58.69
Dysphagia 787.20
 cervical 787.29
 neurogenic 787.29
 oral phase 787.21
 oropharyngeal phase 787.22
 pharyngeal phase 787.23
 pharyngoesophageal phase 787.24
 specified NEC 787.29
Dystrophy, dystrophia 783.9

Key: Underline – Add

Strikeout – Delete

Underline Italic – Revise



Becker's type **359.22**
muscular 359.1
 congenital (hereditary) 359.0
 myotonic **359.22**
 myotonic 359.21
myotonic 359.21
myotonica 359.21
vulva 624.09
Embolism 444.9
 artery 444.9
 septic 449
 septic
 arterial 449
Encephalitis (bacterial)(chronic)(hemorrhagic)(idiopathic)(nonepidemic)(spurious)(subacute) 323.9
 due to
 human herpesvirus 6 058.21
 human herpesvirus 7 058.29
 human herpesvirus NEC 058.29
human herpesvirus 6 058.21
 human herpesvirus 7 058.29
 human herpesvirus NEC 058.29
Encephalorrhagia (see also Hemorrhage, brain) 432.9
 healed or old V12.54
Encounter for – see also Admission for
 disability examination V68.01
Eulenburg's disease (congenital paramyotonia) 359.29
History (personal) of
 attack, transient ischemic (TIA) V12.54
 deficit
 prolonged reversible ischemic neurologic (PRIND) V12.54
 reversible ischemic neurologic (RIND) V12.54
 infarction, cerebral, without residual deficits V12.54
 prolonged reversible ischemic neurologic deficit (PRIND) V12.54
 reversible ischemic neurologic deficit (RIND) V12.54
 stroke without residual deficits V12.54
Hydrocephalus (acquired)(external)(internal)(malignant)(noncommunicating)(obstructive)
(recurrent) 331.4
 normal pressure 331.5
 idiopathic (INPH) 331.5
 secondary 331.3
Hyperactive, hyperactivity 314.01
IEED (involuntary emotional expression disorder) 310.8
Impaired, impairment (function)
 combined visual hearing V49.85
 dual sensory V49.85

Key: Underline – Add

Strikeout – Delete

Underline Italic – Revise



hearing (see also Deafness) 389.9
combined with visual impairment V49.85

vision NEC 369.9
combined with hearing impairment V49.85

Infarct, infarction

brain (stem) 434.91
healed or old without residuals *V12.54*
cerebral (see also Infarct, brain) 434.91

aborted 434.91

INPH (idiopathic normal pressure hydrocephalus) 331.5

Lesion(s)

brain 348.8
vascular (see also Lesion, cerebrovascular) 437.9
healed or old without residuals *V12.54*

Long-term (current) drug use V58.69

high-risk medications NEC V58.69
anti-inflammatories, non-steroidal (NSAID) V58.64
aspirin V58.66

Loss

hearing – see also Deafness
central, ~~bilateral~~ 389.14
conductive (air) 389.00
with sensorineural hearing loss *389.20*
bilateral 389.22
unilateral 389.21
bilateral 389.06
unilateral 389.05
mixed conductive and sensorineural 389.20
bilateral 389.22
unilateral 389.21
mixed type *389.20*
bilateral 389.22
unilateral 389.21
nerve, ~~bilateral 389.12~~
bilateral 389.12
unilateral 389.13
neural, ~~bilateral 389.12~~
bilateral 389.12
unilateral 389.13
sensorineural 389.10
with conductive hearing loss *389.20*
bilateral 389.22
unilateral 389.21
bilateral 389.18
central, ~~bilateral~~ 389.14

Key: Underline – Add

Strikeout – Delete

Underline Italic – Revise

~~combined types, bilateral 389.18~~
~~multiple types, bilateral 389.18~~
 neural, ~~bilateral 389.12~~
 bilateral 389.12
 unilateral 389.13
 sensory, ~~bilateral 389.11~~
 bilateral 389.11
 unilateral 389.17
 sensory, ~~bilateral 389.11~~
 bilateral 389.11
 unilateral 389.17

Lymphoma (malignant)(M9590/3) 202.8
 primary central nervous system 200.5

Myelitis
 due to
 infection classified elsewhere 136.9 [323.42]
 postinfectious 136.9 [323.63]
 toxic 989.9 [323.72]

Myopathy 359.9
 in
 Addison's disease 255.41 [359.5]
 proximal myotonic (PROMM) 359.21

Myotonia (acquisita)(intermittens) 728.85
 atrophica 359.21
 congenital 359.22
 acetazolamide responsive 359.22
 dominant form 359.22
 recessive form 359.22
 drug-induced 359.24
 dystrophica 359.21

fluctuans 359.29
 levior 359.29
 permanens 359.29

Pain(s) (see also Painful) 780.96

Paralysis, paralytic (complete)(incomplete) 344.9
 periodic (familial)(hyperkalemic)(hypokalemic)(normokalemic)(potassium sensitive)
 (secondary) 359.3

Paramyotonia 359.29
 congenital (of von Eulenburg) 359.29

Paraparesis (see also Paraplegia) 344.1

Poisoning (acute) – see also Table of Drugs and Chemicals
 Ciguatera 988.0

Polyneuritis, polyneuritic (see also Polyneuropathy) 356.9
 demyelinating, chronic inflammatory (CIDP) **357.81**

Polyneuropathy (peripheral) 356.9

Key: Underline – Add

Strikeout – Delete

Underline Italic – Revise



demyelinating, chronic inflammatory (CIDP) 357.81
specified NEC 356.8
~~***PRIND P.R.I.N.D.***~~ (*pronlonged reversible ischemic neurologic deficit*) ***434.91***
 history of (personal) V12.54
PROMM (proximal myotonic myotonia) 359.21
RIND (reversible ischemic neurological deficit) 434.91
 history of (personal) V12.54
Schwartz (-Jampel) syndrome **359.23**
Seizure(s) 780.39
 due to stroke 438.89
Steinert's disease **359.21**
Stroke 434.91
 healed or old **V12.54**
 in evolution **V434.91**
Swallowed, swallowing
 difficulty (see also Dysphagia) **787.20**
Syndrome – see also Disease
 Batten-Steinert **359.21**
 Curschmann (-Batten)(-Steinert) **359.21**
 diabetic amyotrophy 250.6 [**353.1**]
 Schwartz (-Jampel) **359.23**
Thomsen's disease **359.22**
von Eulenburg's disease (congenital paramyotonia) **359.29**

Key: Underline – Add

Strikeout – Delete

Underline Italic – Revise



Tabular Addenda

| | |
|---|-------------------------|
| 049 Other non-arthropod-borne viral diseases of central nervous system | |
| 049.8 Other specified non-arthropod-borne viral diseases of central nervous system | |
| Excludes: human herpesvirus 6 encephalitis (058.21) | Add |
| other human herpesvirus encephalitis (058.29) | |
| 054 Herpes simplex | |
| 054.3 Herpetic meningoencephalitis | |
| Excludes: human herpesvirus 6 encephalitis (058.21) | Add |
| other human herpesvirus encephalitis (058.29) | |
| 058 Other human herpesvirus | |
| 058.2 Other human herpesvirus encephalitis | New Sub-Category |
| Excludes: herpes encephalitis NOS (054.3) | |
| herpes simplex encephalitis (054.3) | |
| human herpesvirus encephalitis NOS (054.3) | |
| simian B herpes virus encephalitis (054.3) | |
| 058.21 Human herpesvirus 6 encephalitis | New Code |
| 058.29 Other human herpesvirus encephalitis | New Code |
| Human herpesvirus 7 encephalitis | |
| 058.8 Other human herpesvirus infections | |
| 058.81 Human herpesvirus 6 infection | New Code |
| 058.82 Human herpesvirus 7 infection | New Code |
| 058.89 Other human herpesvirus infection | New Code |
| Human herpesvirus 8 infection | |
| Kaposi's sarcoma-associated herpesvirus infection | |
| 200 Lymphocarcinoma and reticulosarcoma <u>and other specified malignant tumors of lymphatic tissue</u> | Revise |
| 200.5 Primary central nervous system lymphoma | New Code |
| 250 Diabetes mellitus | |
| 250.6 Diabetes with neurological manifestations | |
| Use additional code to identify manifestation, as: | |
| diabetic | |
| amyotrophy (353.1) | Revise |
| 315 Specific delays in development | |
| 315.3 Developmental speech or language disorder | |
| 315.32 Mixed receptive-expressive language disorder | |
| Central auditory processing disorder | Add |
| Excludes: acquired auditory processing disorder (388.45) | Add |
| 315.34 Speech and language developmental delay due to hearing loss | New Code |
| Use additional code to identify type of hearing loss (389.00-389.9) | |
| 331 Other cerebral degenerations | |
| Use additional code, where applicable, to identify: | |
| with behavioral disturbance (294.11) | |
| without behavioral disturbance (294.10) | Add |
| 331.1 Frontotemporal dementia | |
| Use additional code for associated behavioral disturbances | Delete |
| (294.10-294.11) | |
| 331.3 Communicating hydrocephalus | |
| Secondary normal pressure hydrocephalus | Add |



| | |
|---|----------|
| Excludes: congenital hydrocephalus (741.0, 742.3) | Revise |
| idiopathic normal pressure hydrocephalus (331.5) | Add |
| normal pressure hydrocephalus (331.5) | Add |
| spina bifida with hydrocephalus (741.0) | Add |
| 331.4 Obstructive hydrocephalus | |
| Excludes: congenital hydrocephalus (741.0, 742.3) | Revise |
| idiopathic normal pressure hydrocephalus (331.5) | Add |
| normal pressure hydrocephalus (331.5) | Add |
| spina bifida with hydrocephalus (741.0) | Add |
| 331.5 Idiopathic normal pressure hydrocephalus (INPH) | New Code |
| Normal pressure hydrocephalus NOS | |
| Excludes: congenital hydrocephalus (742.3) | |
| secondary normal pressure hydrocephalus (331.3) | |
| spina bifida with hydrocephalus (741.0) | |
| 331.8 Other cerebral degeneration | |
| 331.82 Dementia with Lewy bodies | |
| Use additional code for associated behavioral disturbances (294.10-294.11) | Delete |
| 353 Nerve root and plexus disorders | |
| 353.1 Lumbosacral plexus lesions | |
| Code first, if applicable, associated diabetes mellitus (250.6) | Add |
| 358 Myoneural disorders | |
| 358.1 Myasthenic syndromes in diseases classified elsewhere | |
| Amyotrophy from stated cause classified elsewhere | Delete |
| Code first underlying disease, as: diabetes mellitus (250.60) | Delete |
| 359 Muscular dystrophies and other myopathies | |
| 359.2 Myotonic disorders | |
| Dystrophia myotonica | Delete |
| Eulenburg's disease | |
| Myotonia congenital | |
| Paramyotonia congenital | |
| Steinert's disease | |
| Thomsen's disease | |
| Excludes: periodic paralysis (359.3) | Add |
| 359.21 Myotonic muscular dystrophy | New Code |
| Dystrophia myotonica | |
| Myotonia atrophica | |
| Myotonic dystrophy | |
| Proximal myotonic myopathy (PROMM) | |
| Steinert's disease | |
| 359.22 Myotonia congenital | New Code |
| Acetazolamide responsive myotonia congenital | |
| Dominant form (Thomsen's disease) | |
| Recessive form (Becker's disease) | |
| 359.23 Myotonic chondrodystrophy | New Code |
| Congenital myotonic chondrodystrophy | |
| Schwartz-Jampel disease | |





| | |
|--|---|
| 359.24 Drug-induced myotonia Use additional E code to identify drug | New Code |
| 359.29 Other specified myotonic disorder Myotonia fluctuans Myotonia levior Myotonia permanens | New Code |
| Paramyotonia congenital (of von Eulenburg) | |
| 359.3 Familial Periodic paralysis Familial periodic paralysis Hyperkalemic periodic paralysis Hypokalemic periodic paralysis Potassium sensitive periodic paralysis | Revise Add Add Add Add |
| Excludes: paramyotonia congenital (of von Eulenburg) (359.29) | Add |
| 359.5 Myopathy in endocrine diseases classified elsewhere Code first underlying disease, as: Addison's disease (255.41) | Revise |
| 388 Other disorders of ear | |
| 388.4 Other abnormal auditory perception 388.45 Acquired auditory processing disorder Auditory processing disorder NOS | New Code |
| Excludes: central auditory processing disorder (315.32) | |
| 389 Hearing loss | |
| 389.0 Conductive hearing loss Excludes: mixed conductive and sensorineural hearing loss (389.20-389.22) | Add |
| 389.05 Conductive hearing loss, unilateral | New Code |
| 389.06 Conductive hearing loss, bilateral | New Code |
| 389.1 Sensorineural hearing loss Excludes: mixed conductive and sensorineural hearing loss (389.20-389.22) | Add |
| 389.13 Neural hearing loss, unilateral | New Code |
| 389.14 Central hearing loss, bilateral | Revise |
| 389.17 Sensory hearing loss, unilateral | New Code |
| 389.18 Sensorineural hearing loss of combined types , bilateral | Revise |
| 389.2 Mixed conductive and sensorineural hearing loss Deafness or hearing los of type classifiable to <u>389.00-389.08</u> with type classifiable to <u>389.10-389.18</u> | Revise |
| 389.20 Mixed hearing loss, unspecified | New Code |
| 389.21 Mixed hearing loss, unilateral | New Code |
| 389.22 Mixed hearing loss, bilateral | New Code |
| 389.7 Deaf mutism, nonspeaking, not elsewhere classifiable Deaf, nonspeaking | Revise Delete |
| 438 Late effects of cerebrovascular disease Excludes: personal history of: cerebral infarction without residual deficits (V12.54) PRIND (Prolonged reversible ischemic neurologic deficit) (V12.54) RIND (Reversible ischemic neurological deficit) (V12.54) transient ischemic attack (TIA) (V12.54) | Add |
| 438.8 Other late effects of cerebrovascular disease 438.82 Dysphagia | |



| | |
|--|-----------------|
| Use additional code to identify the type of dysphagia, if known (787.20-787.29) | Add |
| 438.89 Other late effects of <u>cerebrovascular</u> disease | Revise |
| DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-449) | Revise |
| 440 Atherosclerosis | |
| 440.2 Of native arteries of the extremities | |
| Use additional code, if applicable, to identify chronic total occlusion of artery of the extremities (440.4) | Add |
| 440.4 Chronic total occlusion of artery of the extremities | New Code |
| Complete occlusion of artery of the extremities | |
| Total occlusion of artery of the extremities | |
| Code first atherosclerosis of arteries of the extremities (440.20-440.29, 440.30-440.32) | |
| Excludes: acute occlusion of artery of extremity (444.21-444.22) | |
| 449 Septic arterial embolism | New Code |
| Code first underlying infection, such as: | |
| infective endocarditis (421.0) | |
| lung abscess (513.0) | |
| Use additional code to identify the site of the embolism (433.0-433.9, 444.0-444.9) | |
| Excludes: septic pulmonary embolism (415.12) | |
| 572 Liver abscess and sequelae of chronic liver disease | |
| 572.2 Hepatic coma | |
| Excludes: hepatic coma associated with viral hepatitis – see category 070 | Add |
| 780 General symptoms | |
| 780.3 Convulsions | |
| 780.39 Other convulsions | |
| Seizure NOS | Add |
| 787 Symptoms involving digestive system | |
| 787.2 Dysphagia | |
| Difficulty in swallowing | Delete |
| Code first, if applicable, dysphagia due to late effect of cerebrovascular accident (438.82) | Add |
| 787.20 Dysphagia, unspecified | New Code |
| Difficulty in swallowing NOS | |
| 787.21 Dysphagia, oral phase | New Code |
| 787.22 Dysphagia, oropharyngeal phase | New Code |
| 787.23 Dysphagia, pharyngeal phase | New Code |
| 787.24 Dysphagia, pharyngoesophageal phase | New Code |
| 787.29 Other dysphagia | New Code |
| Cervical dysphagia | |
| Neurogenic dysphagia | |
| V12 Personal history of certain other diseases | |
| V12.5 Diseases of circulatory system | |
| V12.54 Transient ischemic attack (TIA), and cerebral infarction without residual deficits | New Code |
| Prolonged reversible ischemic neurological deficit (PRIND) | |
| Reversible ischemic neurologic deficit (RIND) | |
| Stroke NOS without residual deficits | |
| Excludes: late effects of cerebrovascular disease (438.0-438.9) | |
| V58 Encounter for other and unspecified procedures and aftercare | |



-
- V58.6 Long-term (current) drug use
 - V58.69 Long-term (current) use of other medications
 - Other hHigh-risk medications **Revise**
 - V68 Encounters for administrative purposes
 - V68.0 Issue of medical certificates
 - V68.01 Disability examination **New Code**
 - V80 Special screening for neurological, eye, and ear diseases
 - V80.3 Ear diseases
 - Excludes: general hearing examination (V72.11-V72.19) **Revise**
 - V82 Special screening for other conditions
 - V82.7 Genetic screening
 - Excludes: genetic testing for procreative management (~~V26.31, V26.32~~) (V26.31-V26.39) **Revise**

