

### Carotid Imaging Reports

This measure is to be reported **each time** a carotid imaging study is performed in a hospital or outpatient setting for patients with ischemic stroke or transient ischemic attack (TIA) during the reporting period.

#### Measure description

Percentage of final reports for carotid imaging studies (neck MR angiography [MRA], neck CT angiography [CTA], neck duplex ultrasound, carotid angiogram) performed for patients aged 18 years and older with the diagnosis of ischemic stroke or transient ischemic attack (TIA) that include direct or indirect reference to measurements of distal internal carotid diameter as the denominator for stenosis measurement<sup>1</sup>

#### What will you need to report for each patient undergoing a carotid imaging study for this measure?

If you select this measure for reporting, you will report:

- Whether or not the final report for carotid imaging study includes direct or indirect reference to measurements of distal internal carotid diameter as the denominator for stenosis measurement

#### What if this process or outcome of care is not appropriate for your patient?

There may be times when it is not appropriate to reference measurements of distal internal carotid diameter as the denominator for stenosis measurement, due to:

- Medical reasons (eg, not indicated, contraindicated, other medical reason)

In these cases, you will need to indicate that the medical reason applies, and specify the reason on the worksheet and in the medical chart. The office/billing staff will then report a code with a modifier that represents these valid reasons (also called exclusions).

<sup>1</sup>“Direct or indirect reference to measurements of distal internal carotid diameter as the denominator for stenosis measurement” includes direct angiographic stenosis calculations based on the distal lumen as the denominator for stenosis measurement OR an equivalent validated method referenced to the above method (eg, for duplex ultrasound studies, velocity parameters that correlate the *residual* internal carotid lumen with methods based on the *distal* internal carotid lumen).

# Stroke and Stroke Rehabilitation

## Carotid Imaging Reports

### PQRI Data Collection Sheet

Patient's Name	Practice Medical Record Number (MRN)	Birth Date (mm/dd/yyyy) / /	Gender <input type="checkbox"/> Male <input type="checkbox"/> Female
National Provider Identifier (NPI)		Date of Service	

#### Clinical Information

#### Billing Information

Step 1 Is patient eligible for this measure?			
	Yes	No	Code Required on Claim Form
Patient is aged 18 years and older.	<input type="checkbox"/>	<input type="checkbox"/>	Verify date of birth on claim form.
Patient has a diagnosis of ischemic stroke or transient ischemic attack.	<input type="checkbox"/>	<input type="checkbox"/>	Refer to coding specifications document for list of applicable codes.
There is a CPT Procedure Code for carotid imaging.	<input type="checkbox"/>	<input type="checkbox"/>	
If <b>No</b> is checked for any of the above, STOP. Do not report a CPT category II code.			
Step 2 Does patient meet or have an acceptable reason for not meeting the measure?			
Direct or Indirect Reference to Measurements of Distal Internal Carotid Diameter as Denominator for Stenosis Measurement <sup>1</sup>			Code to be Reported on Line 24D of Paper Claim Form, if Yes (or Service Line 24 of Electronic Claim Form)
Included	<input type="checkbox"/>	<input type="checkbox"/>	3100F
Not included for the following reason: • Medical (eg, not indicated, contraindicated, other medical reason)	<input type="checkbox"/>	<input type="checkbox"/>	3100F-1P
Document reason here and in medical chart. _____ _____			If <b>No</b> is checked for <b>all</b> of the above, report 3100F-8P (Carotid image study did not include direct or indirect reference to measurements of distal internal carotid diameter as the denominator for stenosis measurement, reason not otherwise specified.)

<sup>1</sup>“Direct or indirect reference to measurements of distal internal carotid diameter as the denominator for stenosis measurement” includes direct angiographic stenosis calculations based on the distal lumen as the denominator for stenosis measurement OR an equivalent validated method referenced to the above method (eg, for duplex ultrasound studies, velocity parameters that correlate the *residual* internal carotid lumen with methods based on the internal carotid lumen).

## Carotid Imaging Reports

### Coding Specifications

Codes required to document patient has a diagnosis of ischemic stroke or transient ischemic attack (TIA) and a procedure for carotid imaging occurred:

An ICD-9 diagnosis code for ischemic stroke or TIA and a CPT procedure code are required to identify patients to be included in this measure.

#### Ischemic stroke or TIA ICD-9 diagnosis codes

- 433.01, 433.11, 433.21, 433.31, 433.81, 433.91 (occlusion and stenosis of cerebral arteries),
- 434.01, 434.11, 434.91, (occlusion of cerebral arteries),
- 435.0, 435.1, 435.2, 435.3, 435.8, 435.9, (transient cerebral ischemia),

AND

#### CPT procedure codes for carotid imaging

- 70498, 70547, 70548, 70549, 75660, 75662, 75665, 75671, 75676, 75680, 93880, 93882

Quality codes for this measure (one of the following for every eligible patient):

#### CPT II Code descriptors

(Data Collection sheet should be used to determine appropriate combination of codes.)

- **CPT II 3100F:** Carotid image study report includes direct or indirect reference to measurements of distal internal carotid diameter as the denominator for stenosis measurement
- **CPT II 3100F-1P:** Documentation of medical reason(s) for not including direct or indirect reference to measurements of distal internal carotid diameter
- **CPT II 3100F-8P:** Carotid image study report did not include direct or indirect reference to measurements of distal internal carotid diameter as the denominator for stenosis measurement, reason not otherwise specified

Physician Performance Measures (Measures) and related data specifications, developed by the American Medical Association (AMA) in collaboration with the Physician Consortium for Performance Improvement (the Consortium) and the National Committee for Quality Assurance (NCQA) pursuant to government sponsorship under subcontract 6205-05-054 with Mathematica Policy Research, Inc. under contract 500-00-0033 with Centers for Medicare & Medicaid Services.

These performance Measures are not clinical guidelines and do not establish a standard of medical care, and have not been tested for all potential applications.

The Measures, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g., use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain. Commercial uses of the Measures require a license agreement between the user and the AMA, (on behalf of the Consortium) or NCQA. Neither the AMA, NCQA, Consortium nor its members shall be responsible for any use of the Measures.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

© 2004–6 American Medical Association and National Committee for Quality Assurance. All Rights Reserved.

Limited proprietary coding is contained in the Measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. The AMA, NCQA, the Consortium and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specifications.

CPT® contained in the Measures specifications is copyright 2007 American Medical Association

G codes and associated descriptions included in these Measure specifications are in the public domain.

PQRI 2008 Measure 11, Effective Date 01/01/2008

© 2004–6 American Medical Association and National Committee for Quality Assurance. All Rights Reserved.

CPT® copyright 2007 American Medical Association