

Index Addenda

- Agnosia (body image) (tactile)  
 verbal 784.69  
**visual 784.69**  
**developmental 315.8**  
**secondary to organic lesion 784.69**
- Allergy, allergic (reaction) 995.3  
 migraine **339.00**
- Amyotrophy, amyotrophy, amyotrophic 728.2  
 diabetic 250.6 [~~353.5~~]  
**due to secondary diabetes 249.6 [353.5]**
- Ataxia, ataxy, ataxic 781.3  
 locomotor (progressive) 094.0  
 diabetic 250.6 [337.1]  
**due to secondary diabetes 249.6 [337.1]**
- Aura, ~~jacksonian (see also Epilepsy) 345.5~~  
**jacksonian (see also Epilepsy) 345.5**  
**persistent migraine 346.5**  
**with cerebral infarction 346.6**  
**without cerebral infarction 346.5**
- Bing-Horton syndrome (histamine cephalgia) **339.00**
- Blindness (acquired) (congenital) (both eyes) 369.00  
**face 369.16**
- Carotid body or sinus syndrome **337.01**
- Carotidynia **337.01**
- Cephalgia, cephalagia (see also Headache) 784.0  
 histamine **339.00**  
**other trigeminal autonomic (TACS) 339.09**
- CJD (Creutzfeldt-Jakob disease) 046.19**  
**variant (vCJD) 046.11**
- Coma 780.01  
 diabetic (with ketoacidosis) 250.3  
**due to secondary diabetes 249.3**  
 hyperosmolar 250.2  
**due to secondary diabetes 249.2**  
 hyperglycemic 250.2  
**due to secondary diabetes 249.2**  
 hyperosmolar (diabetic) (nonketotic) 250.2  
**due to secondary diabetes 249.2**  
 hypoglycemic 251.0  
 diabetic 250.3  
**due to secondary diabetes 249.3**

Key:    Bold – Add;            Bold Strikeout – Delete;            Bold Underline Italic - Revise

insulin 250.3

**due to secondary diabetes 249.3**

hyperosmolar 250.2

**due to secondary diabetes 249.2**

Coma ... (cont.)

Kussmaul's (diabetic) 250.3

**due to secondary diabetes 249.3**

prediabetic 250.2

**due to secondary diabetes 249.2**

Complex

**regional pain syndrome 355.9**

**type I 337.20**

**lower limb 337.22**

**specified site NEC 337.29**

**upper limb 337.21**

**type II**

**lower limb 355.71**

**upper limb 354.4**

Creutzfeldt-Jakob disease (*CJD*) (syndrome) ~~(new variant)~~ *046.19*

with dementia

with behavioral disturbance *046.19* [294.11]

without behavioral disturbance *046.19* [294.10]

**familial 046.19**

**iatrogenic 046.19**

**specified NEC 046.19**

**sporadic 046.19**

**variant (vCJD) 046.11**

**with dementia**

**with behavioral disturbance 046.11 [294.11]**

**without behavioral disturbance 046.11 [294.10]**

Cyclical vomiting 536.2

**associated with migraine 346.2**

Dementia 294.8

due to or associated with condition(s) classified elsewhere

Jakob-Creutzfeldt disease (*CJD*) ~~(new variant)~~

with behavioral disturbance *046.19* [294.11]

without behavioral disturbance *046.19* [294.10]

**variant (vCMD) 046.11**

**with dementia**

**with behavioral disturbance 046.11 [294.11]**

**without behavioral disturbance 046.11 [294.10]**

Key: Bold – Add; Bold Strikeout – Delete; Bold Underline Italic - Revise

Dependence

on

**wheelchair V46.3**

Diabetes, diabetic (brittle) (congenital) (familial) (mellitus) (poorly controlled) (severe) (slight) (without complication) 250.0

with

coma (with ketoacidosis) 250.3

**due to secondary diabetes 249.3**

hyperosmolar (nonketotic) 250.2

**due to secondary diabetes 249.2**

amyotrophy 250.6 [353.5]

**due to secondary diabetes 249.56 [353.5]**

autonomic neuropathy (peripheral) 250.6 [337.1]

**due to secondary diabetes 249.6 [337.1]**

coma (with ketoacidosis) 250.3

**due to secondary diabetes 249.3**

hyperglycemic 250.3

**due to secondary diabetes 249.3**

hyperosmolar (nonketotic) 250.2

**due to secondary diabetes 249.2**

hypoglycemic 250.3

**due to secondary diabetes 249.3**

insulin 250.3

**due to secondary diabetes 249.3**

hyperosmolar coma 250.2

**due to secondary diabetes 249.2**

mononeuropathy 250.6 [355.9]

**due to secondary diabetes 249.6 [355.9]**

neuralgia 250.6 [357.2]

**due to secondary diabetes 249.6 [357.2]**

neuritis 250.6 [357.2]

**due to secondary diabetes 249.6 [357.2]**

neurogenic arthropathy 250.6 [357.2]

**due to secondary diabetes 249.6 [713.5]**

peripheral autonomic neuropathy 250.6 [337.1]

**due to secondary diabetes 249.6 [337.1]**

polyneuropathy 250.6 [357.2]

**due to secondary diabetes 249.6 [357.2]**

**secondary (chemical-induced) (due to chronic condition) (due to infection)**

**(drug-induced) 249.0**

**with**

**coma (with ketoacidosis) 249.3**

Key: Bold – Add; Bold Strikeout – Delete; Bold Underline Italic - Revise

**hyperosmolar (nonketotic) 249.2**  
**coma (with ketoacidosis)249.3**  
    **hyperglycemic 249.3**  
    **hyperosmolar (nonketotic)249.2**  
    **hypoglycemic 249.3**  
    **insulin 249.3**  
**mononeuropathy 249.6 [355.9]**  
**neuralgia 249.6 [357.2]**  
**neuritis 249.6 [357.2]**  
**neuropathy 249.6 [357.2]**  
**peripheral autonomic neuropathy 249.6 [337.1]**  
**polyneuropathy 249.6 [357.2]**  
Disease, diseased – see also Syndrome  
Creutzfeldt-Jakob (**CJD**)-~~(new variant)~~ **046.19**  
    with dementia  
        with behavioral disturbance **046.19** [294.11]  
        without behavioral disturbance **046.19** [294.10]  
    **familial 046.19**  
    **iatrogenic 046.19**  
    **specified NEC 046.19**  
    **variant (vCJD) 046.11**  
        with dementia  
            with behavioral disturbance **046.11 [294.11]**  
            without behavioral disturbance **046.11 [294.10]**  
Jakob-Creutzfeldt (**CJD**)-~~(new variant)~~ **046.19**  
    with dementia  
        with behavioral disturbance **046.19** [294.11]  
        without behavioral disturbance **046.19** [294.10]  
    **familial 046.19**  
    **iatrogenic 046.19**  
    **specified NEC 046.19**  
    **sporadic 046.19**  
    **variant (vCJD) 046.11**  
        with dementia  
            with behavioral disturbance **046.11 [294.11]**  
            without behavioral disturbance **046.11 [294.10]**  
Moebius', Moebius' **346.2**  
musculoskeletal system **729.90**  
nervous system (central) 349.9  
    **prion NEC 046.79**  
Disorder – see also Disease  
    musculoskeletal system NEC **729.90**

Key:    **Bold** – Add;           **Bold Strikeout** – Delete;       **Bold Underline Italic** - Revise

**Durotomy, incidental (inadvertent) (see also Tear, dural) 349.31**

Dystrophy, dystrophia 783.9

cervical (sympathetic) NEC **337.09**

**reflex neuromuscular – see Dystrophy, sympathetic**

Encephalomyelitis (chronic) (granulomatous) (~~hemorrhagic necrotizing, acute~~)  
(myalgic, benign) (see also Encephalitis) 323.9

Encephalopathy (acute) 348.30

due to

**drugs – (see also Table of Drugs and Chemicals) 348.39**

necrotizing

hemorrhagic (**acute**) 323.61

spongiform, subacute (viral) **046.19**

subacute

spongiform **046.19**

viral, spongiform **046.19**

**Fatal familial insomnia (FFI) 046.72**

**GSS (Gerstmann-Straussler-Scheinker syndrome) 046.71**

Headache 784.0

allergic **339.00**

**associated with sexual activity 339.82**

cluster **339.00**

**chronic 339.02**

**episodic 339.01**

**daily**

**chronic 784.0**

**new persistent (NPDH) 339.42**

**drug induce 339.3**

**histamine 339.00**

**hypnic 339.81**

**medication overuse 339.3**

**menstrual 346.4**

**nasal septum 784.0**

**orgasmic 339.82**

**post-traumatic 339.20**

**acute 339.21**

**chronic 339.22**

**premenstrual 346.4**

**preorgasmic 339.82**

**primary**

**cough 339.82**

**exertional 339.84**

**stabbing 339.85**

Key: Bold – Add; Bold Strikeout – Delete; Bold Underline Italic - Revise



**thunderclap 339.43**  
**rebound 339.3**  
**short lasting unilateral neuralgiform with conjunctival injection and tearing (SUNCT) 339.05**  
sick **346.9**  
**syndrome**  
    **cluster 339.00**  
    **complicated NEC 339.44**  
    **periodic in child or adolescent 346.2**  
    **specified NEC 339.89**  
tension 307.81  
    **type 339.10**  
        **chronic 339.11**  
        **episodic 339.12**  
Hemicrania 346.9  
    **continua 339.41**  
    **paroxysmal 339.03**  
        **chronic 339.04**  
        **episodic 339.03**  
Histamine cephalgia **339.00**  
History (personal) of  
    **chemotherapy, antineoplastic V87.41**  
    **disease (of) V13.9**  
        **infectious V12.00**  
            **methicillin resistant Staphylococcus aureus (MRSA) V12.04**  
            **MRSA (methicillin resistant Staphylococcus aureus) V12.04**  
disorder (of) V13.9  
    musculoskeletal NEC **V13.59**  
    musculoskeletal disorder NEC **V13.59**  
Horton's  
    headache or neuralgia **339.00**  
Hypoglycemia (spontaneous) 251.2  
    coma 251.0  
        diabetic 250.3  
            **due to secondary diabetes 249.3**  
Immobile, immobility  
    **complete**  
        **due to severe physical disability or frailty 780.72**  
Incontinence 788.30  
    urine 788.30  
        **due to**  
            **cognitive impairment 788.91**

Key:    **Bold** – Add;            **Bold Strikeout** – Delete;            **Bold Underline Italic** - Revise



severe physical disability **788.94**  
immobility **788.91**  
functional **788.91**  
Insomnia, unspecified 780.52  
fatal familial (FFI) **046.72**  
Jakob-Creutzfeldt disease (CJD) (syndrome) (~~new variant~~) 046.19  
with dementia  
with behavioral disturbance 046.19 [294.11]  
without behavioral disturbance 046.19 [294.10]  
familial **046.19**  
iatrogenic **046.19**  
specified NEC **046.19**  
sporadic **046.19**  
variant (vCJD) **046.11**  
with dementia  
with behavioral disturbance **046.11** [294.11]  
without behavioral disturbance **046.11** [294.10]  
Kussmaul's  
coma (diabetic) 250.3  
due to secondary diabetes **249.3**  
Landau-Kleffner syndrome **345.8**  
Leukoencephalopathy (see also Encephalitis) 323.9  
reversible, posterior **348.5**  
Malformation (congenital) – see also Anomaly  
venous – see Anomaly, vein  
Meningoencephalitis (see also Encephalitis) 323.9  
due to  
free-living amebae 136.29  
Naegleria (amebae) (gruberi) (organisms) 136.29  
primary amebic 136.29  
toxic NEC 989.9 [323.71]  
due to  
carbon tetrachloride (vapor) 987.8 [323.71]  
Migraine  
with aura (acute-onset) (without headache) (prolonged) (typical) 346.0  
without aura **346.1**  
chronic **346.7**  
transformed **346.7**  
atypical 346.8  
basilar 346.0  
chronic without aura **346.7**

Key: Bold – Add; Bold Strikeout – Delete; Bold Underline Italic - Revise

classic(*al*) 346.0  
hemiplegic 346.3  
    **familial 346.3**  
    **sporadic 346.3**  
lower-half 339.00  
menstrual 346.4  
**menstrually related 346.4**  
ophthalmoplegic 346.2  
**premenstrual 346.4**  
**pure menstrual 346.4**  
retinal 346.0  
**specified form NEC 346.8**  
**transformed without aura 346.7**  
Mobius'  
    disease 346.2  
    syndrome  
        ophthalmoplegic migraine 346.2  
Mononeuropathy (see also Mononeuritis) 355.9  
    diabetic NEC 250.6 [355.9]  
        **due to secondary diabetes 249.6 [355.9]**  
    lower limb 250.6 [355.8]  
        **due to secondary diabetes 249.6 [355.8]**  
    upper limb 250.6 [354.9]  
        **due to secondary diabetes 249.6 [354.9]**  
Myasthenia 358.00  
    syndrome  
        in  
            diabetes mellitus 250.6 [358.1]  
            **due to secondary diabetes 249.6 [358.1]**  
Myelopathy (spinal cord) 336.9  
    diabetic 250.6 [336.3]  
        **due to secondary diabetes 249.6 [336.3]**  
Neuralgia, neuralgic (acute) (see also Neuritis) 729.2  
    ciliary 339.00  
    Horton's 339.00  
    migrainous 339.00  
    sluder's 337.09  
    sphenopalatine (ganglion) 337.09  
Neuritis (see also Neuralgia) 729.2  
    diabetic 250.6 [357.2]  
        **due to secondary diabetes 249.6 [357.2]**  
**Neuroendocrine tumor – see Tumor, neuroendocrine**

Key:    **Bold** – Add;        **Bold Strikeout** – Delete;        **Bold Underline Italic** - Revise

Neuropathy, neuropathic (see also Disorder, nerve)  
diabetic 250.6 [357.2]  
**due to secondary diabetes 249.6 [357.2]**  
peripheral (nerve) (see also Polyneuropathy) 356.9  
autonomic 337.9  
idiopathic **337.00**  
in  
diabetes (mellitus) 250.6 [337.1]  
**due to secondary diabetes 249.6 [337.1]**

Neurophthisis – see also Disorder, nerve  
diabetic 250.6 [357.2]  
**due to secondary diabetes 249.6 [357.2]**

**NPDH (new persistent daily headache) 339.42**

Ophthalmoplegia (see also Strabismus) 378.9  
diabetic 250.5 [378.86]  
**due to secondary diabetes 249.5 [378.86]**  
migraine **346.2**

Paralysis, paralytic (complete) (incomplete) 344.9  
cervical  
sympathetic NEC **337.09**  
sympathetic  
cervical NEC **337.09**

Periodic – see also condition  
**headache syndromes in child or adolescent 346.2**

Polyneuritis, polyneuritic (see also Polyneuropathy) 356.9  
diabetic 250.6 [357.2]  
**due to secondary diabetes 249.6 [357.2]**

Polyneuropathy (peripheral) 356.9  
diabetic 250.6 [357.2]  
**due to secondary diabetes 249.6 [357.2]**  
in  
diabetes 250.6 [357.2]  
**due to secondary diabetes 249.6 [357.2]**

**Prosopagnosia 368.16**

Psychosis 298.9  
organic NEC 294.9  
due to or associated with  
disease  
Jakob-Creutzfeldt (~~new variant~~) **046.19**  
with behavioral disturbance **046.19** [294.11]  
without behavioral disturbance **046.19** [294.10]  
**familial 046.19**

Key: Bold – Add; Bold Strikeout – Delete; Bold Underline Italic - Revise



**iatrogenic 046.19**  
**specified NEC 046.19**  
**sporadic 046.19**  
**variant 046.11**  
    **with dementia**  
        **with behavioral disturbance 046.11 [294.11]**  
        **without behavioral disturbance 046.11 [294.10]**  
    **Jakob-Creutzfeldt disease (syndrome) ~~(new variant)~~ 046.19**  
        with behavioral disturbance 046.19 [294.11]  
        without behavioral disturbance 046.19 [294.10]  
    **variant 046.11**  
        **with dementia**  
            **with behavioral disturbance 046.11 [294.11]**  
            **without behavioral disturbance 046.11 [294.10]**  
    **Quadriplegia 344.00**  
        **functional 780.72**  
    **Seizure(s) 780.39**  
        **migraine triggered 346.0**  
    **Sluder's neuralgia or syndrome 337.09**  
    **Status (post)**  
        **administration of tPA (rtPA) in a different institution within the last 24 hours**  
            **prior to admission to facility V45.88**  
        **wheelchair confinement V46.3**  
    **SUNCT (short lasting unilateral neuralgiform headache with conjunctival injection**  
        **and tearing) 339.05**  
    **Syncope (near) (pre-) 780.2**  
        carotid sinus 337.01  
    **Syndrome – see also Disease**  
        **alien hand 781.8**  
        carotid  
            body or sinus 337.01  
        cervical (root) (spine) NEC 723.8  
            sympathetic paralysis 337.09  
        Charcot-Weiss-Baker 337.01  
        **complex regional pain – see also, Dystrophy, sympathetic**  
            **type I – see Dystrophy, sympathetic (posttraumatic) (reflex)**  
            **type II – see Causalgia**  
        Creutzfeldt-Jakob ~~(new variant)~~ 046.19  
            with dementia  
                with behavioral disturbance 046.19 [294.11]  
                without behavioral disturbance 046.19 [294.10]  
            **variant 046.11**

Key:    Bold – Add;            Bold Strikeout – Delete;            Bold Underline Italic - Revise



**with dementia**  
    **with behavioral disturbance** **046.11** [294.11]  
    **without behavioral disturbance** **046.11** [294.10]  
**Gerstmann-Straussler-Scheinker (GSS)** **046.71**  
**GSS (Gerstmann-Straussler-Scheinker)** **046.71**  
**headache** – see **Headache, syndrome**  
**Jakob-Creutzfeldt** (~~**new variant**~~) **046.19**  
    with dementia  
        with behavioral disturbance **046.19** [294.11]  
        without behavioral disturbance **046.19** [294.10]  
    **variant 046.11**  
        with dementia  
            with behavioral disturbance **046.11** [294.11]  
            without behavioral disturbance **046.11** [294.10]  
**Landau-Kleffner** **345.8**  
**leukoencephalopathy, reversible, posterior** **348.5**  
**Mobius'**  
ophthalmoplegic migraine **346.2**  
pain – see also **Pain**  
    **complex regional 355.9**  
        **type I 337.20**  
            **lower limb 337.22**  
            **specified site NEC 337.29**  
            **upper limb 337.21**  
        **type II**  
            **lower limb 355.71**  
            **upper limb 354.4**  
**Sluder's** **337.09**  
sympathetic  
    cervical paralysis **337.09**  
**vCJD (variant Creutzfeldt-Jakob disease)** **046.11**  
**Vomiting** 787.03  
    cyclical 536.2  
        **associated with migraine 346.2**  
**Weiss-Baker syndrome (carotid sinus syncope)** **337.01**  
**Wheelchair confinement status** **V46.3**

Key:    **Bold** – Add;           **Bold Strikeout** – Delete;           **Bold Underline Italic** - Revise



**Alphabetic Index to External Causes of Injury**

**Trauma**  
**cumulative**  
**from**  
**repetitive**  
**impact E927.4**  
**motion or movements E927.3**  
**sudden from strenuous movement E927.0**

Key:     Bold – Add;         Bold Strikeout – Delete;         Bold Underline Italic - Revise



**Tabular Addenda**

**POLIOMYELITIS AND OTHER NON-ARTHROPOD-BORNE VIRAL DISEASES AND PRION DISEASES OF CENTRAL NERVOUS SYSTEM (045-049)**

046 Slow virus infections <u>and prion diseases</u> of central nervous system	<b>Revise</b>
046.1 Jakob-Creutzfeldt disease	
<del>Subacute spongiform encephalopathy</del>	<b>Delete</b>
046.11 Variant Creutzfeldt-Jakob disease	<b>New Code</b>
vCJD	
046.19 Other and unspecified Creutzfeldt-Jakob disease	<b>New Code</b>
CJD	
Familial Creutzfeldt-Jakob disease	
Iatrogenic Creutzfeldt-Jakob disease	
Jakob-Creutzfeldt disease, unspecified	
Sporadic Creutzfeldt-Jakob disease	
Subacute spongiform encephalopathy	
Excludes: variant Creutzfeldt-Jakob disease (vCJD) (046.11)	
046.7 Other specified prion diseases of central nervous system	<b>New Subcategory</b>
Excludes: Creutzfeldt-Jakob disease (046.11-046.19)	
Jakob-Creutzfeldt disease (046.11-046.19)	
kuru (046.0)	
variant Creutzfeldt-Jakob disease (vCJD) (046.11)	
046.71 Gerstmann-Straussler-Scheinker syndrome	<b>New Code</b>
GSS syndrome	
046.72 Fatal Familial insomnia	<b>New Code</b>
FFI	
046.79 Other and unspecified prion disease of central nervous system	<b>New Code</b>
136 Other and unspecified infectious and parasitic diseases	
136.2 Specific infections by free-living amebae	
<del>Meningoencephalitis due to Naegleria</del>	<b>Delete</b>
136.29 Other specific infections by free-living amebae	<b>New Code</b>
Meningoencephalitis due to Naegleria	
249 Secondary diabetes mellitus	<b>New Subcategory</b>
Includes: diabetes mellitus (due to) (in) (secondary) (with):	
drug induced or chemical induced infection	
Excludes: gestational diabetes (648.8)	
hyperglycemia NOS (790.29)	
neonatal diabetes mellitus (775.1)	
nonclinical diabetes (790.29)	
Type I diabetes – see category 250	
Type II diabetes – see category 250	
The following fifth digit subclassification is for use with category 249:	
0 not stated as uncontrolled, or unspecified	
1 uncontrolled	



Use additional code to identify any associated insulin use (V58.67)	
249.2 Secondary diabetes mellitus with hyperosmolarity [0-1] Secondary diabetes mellitus with hyperosmolar (nonketotic) coma	<b>New Subcategory</b>
249.3 Secondary diabetes mellitus with other coma [0-1] Secondary diabetes mellitus with diabetic coma (with ketoacidosis) Secondary diabetes mellitus with diabetic hypoglycemic coma Secondary diabetes mellitus with insulin coma NOS	<b>New Subcategory</b>
Excludes: secondary diabetes mellitus with hyperosmolar coma (249.2)	
249.6 Secondary diabetes mellitus with neurological manifestations [0-1] Use additional code to identify manifestation, as: diabetic amyotrophy (353.5) diabetic gastroparalysis (536.3) diabetic gastroparesis (536.3) diabetic mononeuropathy (354.0-355.9) diabetic neurogenic arthropathy (713.5) diabetic peripheral autonomic neuropathy (337.1) diabetic polyneuropathy (357.2)	<b>New Subcategory</b>
250 Diabetes mellitus	
250.6 Diabetes with neurological manifestations Use additional code to identify manifestation, as: diabetic amyotrophy (353.5)	<b>Revise</b>
251 Other disorders of pancreatic internal secretion	
251.0 Hypoglycemic coma Excludes: hypoglycemic coma in diabetes mellitus (249.3, 250.3)	<b>Revise</b>
307 special symptoms or syndromes, not elsewhere classified	
307.8 Pain disorders related to psychological factors	
307.81 Tension headache Excludes: headache: syndromes (339.00-339.89) tension type (339.10-339.12)	<b>Add</b> <b>Add</b>
310 Specific nonpsychotic mental disorders due to brain damage	
310.2 Postconcussion syndrome Use additional code to identify associated post-traumatic headache, if applicable (339.20-339.22)	<b>Add</b>
315 specific delays in development	
315.3 Developmental speech or language disorder	
315.34 Speech and language developmental delay due to hearing loss Use additional code to identify type of hearing loss (389.00-389.9)	<b>Delete</b>
323 Encephalitis, myelitis, and encephalomyelitis	
323.4 Other encephalitis, myelitis, and encephalomyelitis due to infection classified elsewhere	
323.41 Other encephalitis and encephalomyelitis due to infection classified elsewhere	





Excludes: meningoencephalitis due to free-living ameba [Naegleria] (136.29)	<b>Revise</b>
331 Other cerebral degenerations	
Use additional code, where applicable, to identify <u>dementia</u> :	<b>Revise</b>
337 Disorders of the autonomic nervous system	
337.0 Idiopathic peripheral autonomic neuropathy	
<del>Carotid sinus syncope or syndrome</del>	<b>Delete</b>
<del>Cervical sympathetic dystrophy or paralysis</del>	<b>Delete</b>
337.00 Idiopathic peripheral autonomic neuropathy, unspecified	<b>New Code</b>
337.01 Carotid sinus syndrome	<b>New Code</b>
Carotid sinus syncope	
337.09 Other idiopathic peripheral autonomic neuropathy	<b>New Code</b>
Cervical sympathetic dystrophy or paralysis	
337.1 Peripheral autonomic neuropathy in disorders classified elsewhere	
Code first underlying disease, as:	
diabetes (249.6, 250.6)	<b>Revise</b>
337.2 Reflex sympathetic dystrophy	
337.20 Reflex sympathetic dystrophy, unspecified	
Complex regional pain syndrome type I, unspecified	<b>Add</b>
337.21 Reflex sympathetic dystrophy of the upper limb	
Complex regional pain syndrome type I of the upper limb	<b>Add</b>
337.22 Reflex sympathetic dystrophy of the lower limb	
Complex regional pain syndrome type I of the lower limb	<b>Add</b>
337.29 Reflex sympathetic dystrophy of other specified site	
Complex regional pain syndrome type I of other specified site	<b>Add</b>
337.3 Autonomic dysreflexia	
Use additional code to identify the cause, such as:	
<del>decubitus</del> <u>pressure ulcer</u> (707.00-707.09)	
338 Pain, not elsewhere classified	
Excludes: headache syndromes (339.00-339.89)	<b>Add</b>
migraines (346.0-346.9)	<b>Add</b>
OTHER HEADACHE SYNDROMES (339)	<b>New Section</b>
339 Other headache syndromes	<b>New Category</b>
Excludes: headache:	
NOS (784.0)	
due to lumbar puncture (349.0)	
migraine (346.0-346.9)	
339.0 Cluster headaches and other trigeminal autonomic cephalgias	<b>New Subcategory</b>
TACS	
339.00 Cluster headache syndrome, unspecified	<b>New Code</b>
Ciliary neuralgia	
Cluster headache NOS	
Histamine cephalgia	
Lower half migraine	





Migrainous neuralgia	
339.01 Episodic cluster headache	<b>New Code</b>
339.02 Chronic cluster headache	<b>New Code</b>
339.03 Episodic paroxysmal hemicrania	<b>New Code</b>
Paroxysmal hemicrania NOS	
339.04 Chronic paroxysmal hemicrania	<b>New Code</b>
339.05 Short lasting unilateral neuralgiform headache with conjunctival injection and tearing SUNCT	<b>New Code</b>
339.09 Other trigeminal autonomic cephalgias	<b>New Code</b>
339.1 Tension type headache	<b>New Subcategory</b>
Excludes: tension headache NOS (307.81) tension headache related to psychological factors (307.81)	
339.10 tension type headache, unspecified	<b>New Code</b>
339.11 Episodic tension type headache	<b>New Code</b>
339.12 Chronic tension type headache	<b>New Code</b>
339.2 Post-traumatic headache	<b>New Subcategory</b>
339.20 Post-traumatic headache, unspecified	<b>New Code</b>
339.21 Acute post-traumatic headache	<b>New Code</b>
339.22 Chronic post-traumatic headache	<b>New Code</b>
339.3 Drug induced headache, not elsewhere classified	<b>New Code</b>
Medication overuse headache rebound headache	
339.4 Complicated headache syndromes	<b>New Subcategory</b>
339.41 Hemicrania continua	<b>New Code</b>
339.42 New daily persistent headache NDPH	<b>New Code</b>
339.43 Primary thunderclap headache	<b>New Code</b>
339.44 Other complicated headache syndrome	<b>New Code</b>
339.8 Other specified headache syndromes	<b>New Subcategory</b>
339.81 Hypnic headache	<b>New Code</b>
339.82 Headache associated with sexual activity	<b>New Code</b>
Orgasmic headache Preorgasmic headache	
339.83 Primary cough headache	<b>New Code</b>
339.84 Primary exertional headache	<b>New Code</b>
339.85 Primary stabbing headache	<b>New Code</b>
339.89 Other specified headache syndromes	<b>New Code</b>
346 Migraine	
Excludes: headache:	<b>Add</b>
NOS (784.0)	<b>Add</b>
syndromes (339.00-339.89)	<b>Add</b>
The following fifth-digit subclassification is for use with category 346:	
0 without mention of intractable migraine <u>without mention of status</u>	<b>Revise</b>





<u>migrainosus</u>	
1 with intractable migraine, so stated, <u>without mention of status migrainosus</u>	<b>Revise</b>
2 without mention of intractable migraine with status migrainosus	<b>Add</b>
3 with intractable migraine, so stated, with status migrainosus	<b>Add</b>
346.0 <del>Classical migraine</del> <u>Migraine with aura</u> [0-3]	<b>Revise</b>
<del>Migraine with aura</del>	<b>Delete</b>
Basilar migraine	<b>Add</b>
Classic migraine	<b>Add</b>
Migraine triggered seizures	<b>Add</b>
Migraine with acute-onset aura	<b>Add</b>
Migraine with aura without headache (migraine equivalents)	<b>Add</b>
Migraine with prolonged aura	<b>Add</b>
Migraine with typical aura	<b>Add</b>
Retinal migraine	<b>Add</b>
Excludes: persistent migraine aura (346.5, 346.6)	<b>Add</b>
346.1 <del>Common migraine</del> <u>Migraine without aura</u>	<b>Revise</b>
<del>Atypical migraine</del>	<b>Delete</b>
<del>Sick headache</del>	<b>Delete</b>
Common migraine	<b>Add</b>
346.2 Variants of migraine, <u>not elsewhere classified</u>	<b>Revise</b>
[0-3]	<b>Add</b>
<del>Cluster headache</del>	<b>Delete</b>
<del>Histamine cephalgia</del>	<b>Delete</b>
<del>Horton's neuralgia</del>	<b>Delete</b>
<del>Migraine:</del>	<b>Delete</b>
<del>    abdominal</del>	<b>Delete</b>
<del>    basilar</del>	<b>Delete</b>
<del>    lower half</del>	<b>Delete</b>
<del>    retinal</del>	<b>Delete</b>
<del>Neuralgia:</del>	<b>Delete</b>
<del>    ciliary</del>	<b>Delete</b>
<del>    migrainous</del>	<b>Delete</b>
Abdominal migraine	<b>Add</b>
Cyclical vomiting associated with migraine	<b>Add</b>
Ophthalmoplegic migraine	<b>Add</b>
Periodic headache syndromes in child or adolescent	<b>Add</b>
Excludes: cyclical vomiting NOS 9536.2	<b>Add</b>
psychogenic cyclical vomiting (306.4)	<b>Add</b>
346.3 Hemiplegic migraine	<b>New Code</b>
[0-3] Familial migraine	
Sporadic migraine	
346.4 Menstrual migraine	<b>New Code</b>
[0-3] Menstrual headache	





Menstrually related migraine	
Premenstrual headache	
Premenstrual migraine	
Pure menstrual migraine	
346.5 Persistent migraine aura without cerebral infarction	<b>New Code</b>
[0-3] Persistent migraine aura NOS	
346.6 Persistent migraine aura with cerebral infarction	<b>New Code</b>
[0-3]	
346.7 Chronic migraine without aura	<b>New Code</b>
[0-3] Transformed migraine without aura	
346.8 Other forms of migraine	
[0-3]	<b>Add</b>
Migraine:	<b>Delete</b>
hemiplegic	<b>Delete</b>
ophthalmoplegic	<b>Delete</b>
346.9 Migraine, unspecified	
[0-3]	<b>Add</b>
349 Other and unspecified disorders of the nervous system	
349.3 Dural tear	<b>New Subcategory</b>
349.31 Accidental puncture or laceration of dura during a procedure	<b>New Code</b>
Incidental (inadvertent) durotomy	
349.39 Other dural tear	<b>New code</b>
353 Nerve root and plexus disorders	
353.1 Lumbosacral plexus lesions	
Code first, if applicable, associated diabetes mellitus (250.6)	<b>Delete</b>
353.5 Neuralgic amyotrophy	
Code first any associated underlying disease, such as:	<b>Add</b>
diabetes mellitus (249.6, 250.6)	
354 Mononeuritis of upper limb and mononeuritis multiplex	
354.4 Causalgia of upper limb	
Complex regional pain syndrome type II of the upper limb	<b>Add</b>
Excludes: complex regional pain syndrome type II of the lower limb (355.71)	<b>Add</b>
355 Mononeuritis of lower limb	
355.7 Other mononeuritis of lower limb	
355.71 Causalgia of lower limb	
Excludes: complex regional pain syndrome of upper limb (354.4)	<b>Add</b>
355.9 Mononeuritis of unspecified site	
Complex regional pain syndrome NOS	<b>Add</b>
Excludes: complex regional pain syndrome:	<b>Add</b>
lower limb (355.71)	<b>Add</b>
upper limb (354.4)	<b>Add</b>
357 Inflammatory and toxic neuropathy	
357.2 Polyneuropathy in diabetes	
Code first underlying disease (249.6, 250.6)	<b>Revise</b>



358 Myoneural disorders	
358.1 Myasthenic syndromes in diseases classified elsewhere	
Code first underlying disease, as:	
botulism (005.1, <u>040.41-040.42</u> )	<b>Revise</b>
368 Visual disturbances	
368.1 Subjective visual disturbances	
368.16 Psychophysical visual disturbances	<b>Add</b>
Prosopagnosia	
Visual:	<b>Add</b>
object agnosia	
386 Veriginous syndromes and other disorders of vestibular system	
386.0 <u>Meniere's</u> disease	<b>Revise</b>
<u>Meniere's</u> syndrome or vertigo	<b>Revise</b>
386.00 <u>Meniere's</u> disease, unspecified	<b>Revise</b>
<u>Meniere's</u> disease (active)	<b>Revise</b>
386.01 Active <u>Meniere's</u> disease, cochleovestibular	<b>Revise</b>
386.02 Active <u>Meniere's</u> disease, cochlear	<b>Revise</b>
386.03 Active <u>Meniere's</u> disease, vestibular	<b>Revise</b>
386.04 Inactive <u>Meniere's</u> disease	<b>Revise</b>
<u>Meniere's</u> disease in remission	<b>Revise</b>
433 Occlusion and stenosis of precerebral arteries	
Use additional code, if applicable, to identify status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility (V45.88)	<b>Add</b>
434 Occlusion of cerebral arteries	
Use additional code, if applicable, to identify status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility (V45.88)	<b>Add</b>
780 General Symptoms	
780.0 Alteration of consciousness	
Excludes: coma:	
diabetic ( <u>249.2-249.3</u> , 250.2-250.3)	<b>Revise</b>
780.4 Dizziness and giddiness	
Excludes: <u>Meniere's</u> disease and other specified verginous syndromes (386.0-386.9)	<b>Revise</b>
780.7 Malaise and fatigue	
780.72 Functional quadriplegia	<b>New Code</b>
Complete immobility due to severe physical disability or frailty	
Excludes: hysterical paralysis (300.11)	
immobility syndrome (728.3)	
neurologic quadriplegia (344.00-344.09)	
quadriplegia NOS (344.00)	
780.9 Other general symptoms	
Excludes: hypothermia	



<del>memory disturbance as part of a pattern of mental disorder</del>	<b>Delete</b>
memory disturbance as part of a pattern of mental disorder	<b>Add</b>
788 Symptoms involving urinary system	
788.9 Other symptoms involving urinary system	
<del>Extrarenal uremia</del>	<b>Delete</b>
<del>Vesical:</del>	<b>Delete</b>
<del>pain</del>	<b>Delete</b>
<del>tenesmus</del>	<b>Delete</b>
788.91 Functional urinary incontinence	<b>New Code</b>
Urinary incontinence due to cognitive impairment, or severe physical disability or immobility	
Excludes: urinary incontinence due to physiologic condition (788.30-788.39)	
850 Concussion	
850.4 With prolonged loss of <u>consciousness</u> , without return to pre-existing conscious level	<b>Revise</b>
998 Other complications of procedures, not elsewhere classified	
998.2 Accidental puncture or laceration during a procedure	
Excludes: specified complications classified elsewhere, such as:	
dural tear (349.31)	<b>Add</b>
incidental durotomy (349.31)	<b>Add</b>
<b>PERSONS WITH POTENTIAL HEALTH HAZARDS RELATED TO PERSONAL AND FAMILY HISTORY (V10-V19)</b>	<b>Revise</b>
V13 Personal history of other diseases	
V13.5 Other musculoskeletal disorders	
V13.59 Other musculoskeletal disorders	<b>New Code</b>
V45 Other postprocedural states	
V45.8 Other postprocedural states	
V45.88 Status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility	<b>New Code</b>
Code first condition requiring tPA administration, such as:	
acute cerebral infarction (433.0-433.9 with fifth-digit 1, 434.0-434.9 with fifth digit 1)	

